


LEHMANN

GERMAN CLEANING SYSTEMS

01 | 2022 - ENGL

TEL +49 (0) 3981 48850
EMAIL INFO@LEWI.DE
WEB WWW.LEWI.DE

LEWI
PROFESSIONAL TOOLS



LEHMANN KG
KRANICHSTRASSE 2A
D-17235 NEUSTRELITZ

QLEEN
PURE WATER CLEANING SYSTEMS





LEWI.

Proven professional quality for the glass and building cleaner.

For relaxed and safe working.

Under the LEWI product brand, the Lehmann KG has produced sophisticated quality tools for the glass and building cleaner for many years.

The proven LEWI philosophy: Versatile and ergonomic components, perfect quality and optimum functionality – at an attractive price.

The reliable and versatile LEWI tools can easily be used in the hand or on the telescope pole.

Thus, even hardly accessible spots can be perfectly and easily cleaned.

The proven LEWI fixation at the handle guarantees safe working at any time.





LEWI Bionic. High-quality tools.

- Ergonomic design
- Safe connection technology
- Versatile components
- Perfect, streak-free cleaning performance
- Safe and fatigueless working

LEWI wiper rubber. Top quality.

- Specially formed and vulcanized
- Flawless wiping thanks to precisely manufactured edges.
- Extremely elastic – slides easily and fast
- Durable and reliable in daily use
- For cleaning free of streaks during all seasons

LEWI Telescopic poles. Perfect professional solutions.

| 5

LEWI 01 | 2022



Sleeve „Micro fibre“

High water absorption and strong cleaning power.



Sleeve „Blue star“

Fabric of PES- & micro fibres. Perfect for large surfaces.



Sleeve „Power fibre“

Fabric of high-quality fibres. Removes encrusted dirt easily.

Plastic T-bar "BIONIC"

Window Washer T-bars are high quality and durable.



Squeegee „Bionic Duo“

Window squeegee and washer in one professional system. Practical: wash with one side dry up with the other side.



Squeegee „Bionic“

Complete with rubber and stainless steel channel.



Landing net

Perfectly suitable for pool cleaning.



Surface scraper „Bionic“

Windows and surface scraper. Very stable. With safety cap.



Water brush

For floors, facades and stones.




Pipe brush "Bionic"

For cleaning round surfaces and pipes.



Garden tools

Effective and quick help. Safe, without ladder use.




Multifunctional holder


For safe painting from the ground. For fastening tools.



- Reliable locking technology with special cone and slide block
- More stable and secure than conventional systems
- No twisting of the pole Tools remain firmly secured
- Individual adaptations and special sizes possible



Sleeve „White Star“



Fabric of high-quality fibres, long-pile.
For fast cleaning of glass and surfaces.
Good cleaning power. Easy to wash out by 60°.

With push button

Material: mixed fabric*

Length / cm	Art.No.		PU
25	10000		10
35	10001		10
45	10002		10

Sleeve „White Star“



Fabric of high-quality fibres, long-pile.
For fast cleaning of glass and surfaces.
Good cleaning power. Easy to wash out by 60°.

With Velcro fastener

Material: mixed fabric*

Length / cm	Art.No.		PU
15	10003		10
25	10004		10
35	10005		10
45	10006		10
55	10007		10

Sleeve „Blue Star“



Blended fabric of PES- & micro fibres, long-pile.
Perfect for large surfaces. High water and dirt absorption. Removes encrusted dirt easily. Easy to wash out by 60°.

With Velcro fastener


Material: mixed fabric**

Length / cm	Art.No.		PU
15	10011		10
25	10012		10
35	10013		10
45	10014		10
55	10015		10

* base material: 100% polyester; fibres: 100% polyacrylic

** base material: 100% polyester; fibres: 65% polyacrylic, 35% polyester

Sleeve „Pad Strip“



Blended fabric of high-quality fibres, long-pile.


An additional pad area that removes incrustations and heavy dirt easily. Quick and efficient. Easy to wash out by 60°.

With Velcro fastener

Material: mixed fabric***

Length / cm	Art.No.		PU
25	10018		10
35	10019		10
45	10020		10

Sleeve „Micro fibre“



Micro fibre sleeve.

High water absorption and strong cleaning power. Perfect for large surfaces. Easy to wash out by 60°.

With Velcro fastener

Material: mixed fabric***

Length / cm	Art.No.		PU
25	10021		10
35	10022		10
45	10023		10
55	10024		10

Sleeve „Power fibre“



Fabric of high-quality fibres, long-pile.

Perfect for large surfaces. Removes encrusted dirt easily. Easy to wash out by 60°.

With Velcro fastener

Material: mixed fabric***

Length / cm	Art.No.		PU
25	10025		10
35	10026		10
45	10027		10
55	10028		10

Plastic T-bar „Bionic“



Efficient water chamber system for high water absorption.

Lies safely in the hand. For comfortable and fatigue-free working. Perfect for telescopic pole use.

Material: two-component plastic

Length / cm	Art.No.		PU
25	10029		10
35	10030		10
45	10031		10

T-bar „Bionic“



Ergonomically shaped, always provides safe grip.


Lies safely in the hand. For comfortable and fatigue-free working. Perfect for telescopic pole use.

Material: aluminium, two-component plastic


Length / cm	Art.No.		PU
15	10032		10
25	10033		10
35	10034		10
45	10035		10
55	10036		10

***base material: 100% polyester; fibres: 100% polyester


T-bar aluminium

	<p>Light and stable. High-quality processing. Reliable during telescopic pole use. Material: aluminium, plastic</p>	Length / cm	Art.No.	PU
		15	10037	10
		25	10038	10
		35	10039	10
		45	10040	10
		55	10041	10


T-bar „Bionic“, moveable

	<p>Flexible, handle can be individually adjusted for 45 degrees. Lies safely in the hand. For comfortable and fatigue-free working. Perfect for telescopic pole use. Material: aluminium, two-component plastic</p>	Length / cm	Art.No.	PU
		35	10042	10
		45	10043	10


Complete set „White Star“

	<p>Washer sleeve „White Star“ and aluminium T-bar. With Velcro fastener Material T-bar: aluminium, plastic Sleeve: mixed fabric*</p>	Length / cm	Art.No.	PU
		25	10044	10
		35	10045	10
		45	10046	10


Complete set „Blue Star“

	<p>Washer sleeve „Blue Star“ and aluminium T-bar. With Velcro fastener Material T-bar: aluminium, plastic Sleeve: mixed fabric**</p>	Length / cm	Art.No.	PU
		25	10047	10
		35	10048	10
		45	10049	10

Complete set „Pad Strip“

	<p>Washer sleeve „Pad Strip“ and aluminium T-bar. With Velcro fastener Material T-bar: aluminium, plastic Sleeve: mixed fabric***</p>	Length / cm	Art.No.	PU
		25	10050	10
		35	10051	10
		45	10052	10

Complete set „Micro fibre“

	<p>Washer sleeve „Micro fibre“ and aluminium T-bar. With Velcro fastener Material T-bar: aluminium, plastic Sleeve: mixed fabric***</p>	Length / cm	Art.No.	PU
		25	10053	10
		35	10054	10
		45	10055	10

* base material: 100% polyester; fibres: 100% polyacrylic

** base material: 100% polyester; fibres: 65% polyacrylic, 35% polyester

***base material: 100% polyester; fibres: 100% polyester



Squeegee „Bionic Duo“



Ergonomically shaped. Squeegee and washer with a professional system.
Practical and quick - no exchange needed. Complete with stainless steel channel and washer sleeve „White Star“. Reliable during telescopic pole use.

Material: two-component plastic, stainless steel, high-quality woven fabric*

Rubber quality (hard)
shore hardness 60

Length / cm	Art.No.		PU
25	10500		10
35	10501		10
45	10502		10
55	10503		10

Squeegee „Bionic“



Ergonomically shaped. Complete with rubber and stainless steel channel.
Easy channel exchange. Lies safely in the hand. For comfortable and fatigue-free working. Perfect for telescopic pole use.

Material: two-component plastic, stainless steel

Rubber quality (hard)
shore hardness 60

Length / cm	Art.No.		PU
15	10504		10
25	10505		10
35	10506		10
45	10507		10
55	10508		10

Squeegee „Bionic“



Ergonomically shaped. Complete with rubber and stainless steel channel.
Easy channel exchange. Lies safely in the hand. For comfortable and fatigue-free working. Perfect for telescopic pole use.


Material: two-component plastic, stainless steel

Rubber quality (soft)
shore hardness 53


Length / cm	Art.No.		PU
15	10509		10
25	10510		10
35	10511		10
45	10512		10
55	10513		10

* base material: 100% polyester; fibres: 100% polyacrylic


Squeegee

	<p>Complete with rubber and stainless steel channel.</p> <p>Solid, durable design.</p> <p>Reliable during telescopic pole use.</p> <p>Material: plastic, stainless steel</p> <p>Rubber quality (hard)</p> <p>Shore hardness 60</p>	Length / cm	Art.No.		PU
		15	10514		10
		25	10515		10
		35	10516		10
		45	10517		10
		55	10518		10


Squeegee

	<p>Complete with rubber and stainless steel channel.</p> <p>Solid, durable design.</p> <p>Reliable during telescopic pole use.</p> <p>Material: plastic, stainless steel</p> <p>Rubber quality (soft)</p> <p>Shore hardness 53</p>	Length / cm	Art.No.		PU
		15	10519		10
		25	10520		10
		35	10521		10
		45	10522		10
		55	10523		10


Squeegee XXL

	<p>Complete with rubber and stainless steel channel.</p> <p>Extra long handle, solid, durable design.</p> <p>Reliable during telescopic pole use.</p> <p>Material: plastic, stainless steel</p> <p>Rubber quality (hard)</p> <p>Shore hardness 60</p>	Length / cm	Art.No.		PU
		15	10524		10
		25	10525		10
		35	10526		10
		45	10527		10
		55	10528		10

Squeegee XXL

	<p>Complete with rubber and stainless steel channel.</p> <p>Extra long handle, solid, durable design.</p> <p>Reliable during telescopic pole use.</p> <p>Material: plastic, stainless steel</p> <p>Rubber quality (soft)</p> <p>Shore hardness 53</p>	Length / cm	Art.No.		PU
		15	10529		10
		25	10530		10
		35	10531		10
		45	10532		10
		55	10533		10

Squeegee handle „Bionic“

	<p>Ergonomically shaped, always provides safe grip.</p> <p>Fast and easy channel exchange. Extremely reliable, even with telescopic pole use.</p> <p>Material: two-component plastic, stainless steel</p>		Art.No.		PU
			10534		20

Squeegee handle



Easy handling. Soft grip design.
Proven in practice. Easy channel exchange.
Lies always safely in the hand. Reliable
during telescopic pole use.

Material: plastic, stainless steel

Art.No.

10535

PU

20

Squeegee handle XXL



Easy handling. Soft grip design.
1 cm longer as the handle 10536.
Proven in practice. Easy channel exchange.
Lies always safely in the hand. Reliable
during telescopic pole use.

Material: plastic, stainless steel

Art.No.

10536

PU

15

Squeegee handle „Bionic“, moveable



Ergonomically shaped. Working angle
adjustable for 180 degrees.
Proven in daily operation, stable design,
very flexible.


Material: two-component plastic

Art.No.


10537

PU

10



V-channel



Professional channel of stainless steel with V-cut out.

Channel positions variably adjustable. Sturdy and stable, always in perfect position. Easy replacement of the rubber.


Material: stainless steel

Rubber quality (hard)

Shore hardness 60 ± 2 *

Length / cm	Art.No.	PU
15	11000	25
25	11001	25
35	11002	25
45	11003	25
55	11004	25

V-channel



Professional channel of stainless steel with V-cut out.

Channel positions variably adjustable. Sturdy and stable, always in perfect position. Easy replacement of the rubber.

Material: stainless steel

Rubber quality (soft)

Shore hardness 53 ± 2 **

Length / cm	Art.No.	PU
15	11005	25
25	11006	25
35	11007	25
45	11008	25
55	11009	25

Replacement rubber



Proven professional quality.

Specifically shaped and vulcanized.

Very reliable and durable.


For streak-free cleaning use.

Rubber quality (hard)

Shore hardness 60 ± 2 *

Length / cm	Art.No.	PU
15	11010	10
25	11011	10
30	11012	10
35	11013	10
40	11014	10
45	11015	10
55	11016	10
92	11017	10
105	11018	10

Replacement rubber



Proven professional quality.

Specifically shaped and vulcanized.

Very reliable and durable.

For streak-free cleaning use.

Rubber quality (soft)

Shore hardness 53 ± 2 **

Length / cm	Art.No.	PU
15	11019	10
25	11020	10
30	11021	10
35	11022	10
40	11023	10
45	11024	10
55	11025	10
92	11026	10
105	11027	10

* Shore-Hardness 60 ± 2 - ideal for smooth surfaces and warmer outside temperatures

** Shore-Hardness 53 ± 2 - ideal for uneven surfaces and colder outside temperatures



Surface scraper „Bionic“



Ergonomic handle, large scraper surface.
Windows and surface scraper. Very stable.
Perfect for the telescopic pole use.
With safety cap.
(replacement blades art. no. 11511)
Material: two-component plastic

blade / cm	Art.No.		PU
10	11500		10


Safety scraper



With 4 cm working surface.
Safety scraper with retractable blade.
Handy and very sturdy. Removes paint
residues and stickers easily. (replacement
blades art. no. 11512/11513)
Material: steel

blade / cm	Art.No.		PU
4	11501		20

Safety scraper



With 4 cm working surface.
Safety scraper with retractable blade.
Handy and very sturdy. Removes paint
residues and stickers easily.
(replacement blades art. no. 11512/11513)
Material: steel
Rubberised handle

blade / cm	Art.No.		PU
4	11502		15

Surface scraper



More power due to the 25 cm stick.
With safety cap for higher safety.
(replacement blades art. no. 11511)
Material: plastic, aluminium

Length / cm	Art.No.		PU
25	11503		5

Surface scraper



With 120 cm stick for light works.
Allows comfortable working while standing. With safety cap for higher safety.
(replacement blades: art. no. 11511)

Material: plastic, aluminium

Length / cm	Art.No.	PU
120	11504	10

Glass scraper




With 10 replacement blades in a case.
Stainless steel blade holder and 10 spare blades in a practical plastic box.

Material: stainless steel

blade / cm	Art.No.	PU
10	11505	10

Glass scraper




Blade 10 cm.
(replacement blades: art. no. 11509/11510)

Material: stainless steel

blade / cm	Art.No.	PU
10	11506	25

Blades



Suitable for glass scraper
(art. no. 11506)

25 items with dispenser

blade / cm	Art.No.	PU
10	11509	10

Blades



Suitable for glass scraper
(art. no. 11506)

In 350 item economy pack

blade / cm	Art.No.		PU
10	11510		1

Blades



Suitable for window and floor scrapers
(art. no. 11500/11503/11504)

Package with 10 items in dispenser

blade / cm	Art.No.		PU
10	11511		10

Blades



Suitable for safety scraper.
(art. no. 11501/11502)

Package with 100 items

blade / cm	Art.No.		PU
4	11512		1


Blades



Suitable for safety scraper.
(art. no. 11501/11502)

5 items in one box

blade / cm	Art.No.		PU
4	11513		10



Telescopic pole system

	Two-section. High-quality processing and very stable. A specifically adjusted sliding block secures against rotation. For safe working without ladder, directly from the ground. Material: aluminium, plastic With safety cone and clamp protection	Length / cm	Art.No.		PU
		120 (2x60)	12000		10
		250 (2x125)	12001		10
		300 (2x150)	12002		10
		400 (2x200)	12003		10
		500 (2x250)	12004		10
		600 (2x300)	12005		4

Telescopic pole system


	Three-section. High-quality processing and very stable. A specifically adjusted sliding block secures against rotation. For safe working without ladder, directly from the ground. Material: aluminium, plastic With safety cone and clamp protection	Length / cm	Art.No.		PU
		300 (3x100)	12006		10
		450 (3x150)	12007		10
		600 (3x200)	12008		10
		750 (3x250)	12009		4
		900 (3x300)	12010		4

Telescopic pole system


	Four-section. High-quality processing and very stable. A specifically adjusted sliding block secures against rotation. For safe working without ladder, directly from the ground. Material: aluminium, plastic With safety cone and clamp protection	Length / cm	Art.No.		PU
		400 (4x100)	12011		10
		600 (4x150)	12012		10
		800 (4x200)	12013		10
		1000 (4x250)	12014		4
		1200 (4x300)	12015		4

Order of 10 items sorted each possible


Extension pole

	High-quality processing and very stable. Material: aluminium, plastic	Length / cm	Art.No.	PU
		60	12017	10
		120	12018	10


Telescopic pole „Plus“

	Two-section. With additional interior locking. High-quality processing and very stable. Material: aluminium, plastic	Length / cm	Art.No.	PU
		200 (2x100)	12019	10
		300 (2x150)	12020	10
		400 (2x200)	12021	10


Angle joint

	For telescopic pole use. Light, freely adjustable joint. Perfect for working on areas that are hard to access. Material: aluminium, plastic	Art.No.	PU
		12022	1


Angle joint, aluminium

	For telescopic pole use. Sturdy, perfect for cleaning hardly accessible areas. Angle can be freely adjusted. Material: aluminium	Art.No.	PU
		12023	1


Safety cone

	Allows a quick tool exchange. For attaching or screwing tools on the telescopic pole. Ensures optimum hold. Material: plastic	Art.No.	PU
		12024	1

Pipe brush "Bionic"

	Ergonomic handle. For cleaning round surfaces and pipes. Perfect for telescopic pole use. Simply attach to the special cone. Material: two-component plastic, mixed hair with 40 % genuine horse hair (soft) / synthetic (hard)			
		Art.No.		PU
	soft (brown)	12025		1
	hard (blue)	12026		1

Wall brush "Bionic", oval shape

	Ergonomic handle. For cleaning walls and rough surfaces. Perfect for telescopic pole use. Simply attach to the special cone. Material: two-component plastic, mixed hair with 40 % genuine horse hair (soft) / synthetic (hard)		Art.No.		PU
		soft (brown)	12027		1
		hard (blue)	12028		1

Special paint cone



Suitable for all commercial paint rollers.
For safe painting from the ground.

Material: plastic

For inserting on telescopic poles

Art.No.

12029

PU

1

Adapter for broom



Fits with all commercial brooms.
Durable brass thread.

Material: brass

For inserting on telescopic poles

Art.No.

12030

PU

1

Adapter for Water brushes



Fits with all commercial water brushes.
With R 1/4" thread.

Material: brass

For inserting on telescopic poles

Art.No.

12031

PU

1

Fixi brush



Cleaning brush made of special fibres.
Cleans powerfully and reliably.

Material: wood, special fibre

For inserting on telescopic poles

Art.No.

12032

PU

1

Fixi clamp



Aluminium clamp for fastening tools.
Fastens clothes and sponges safely.

Material: stainless steel

For inserting on telescopic poles


Art.No.

12033

PU

1

Branch cutting set



Pruning saw / pruning shears
Professional quality.
with pull cord. (Saw blade 30 cm long).

For inserting on telescopic poles

Art.No.

12035

PU

1

Gardener saw



Bent, with draw hook and branch rejector.
Professional quality
For efficient tree care. Safe, without ladder use.

For inserting on telescopic poles

Art.No.

12036

PU

1

Apple picker



Sturdy and tearproof.
For a fast and safe harvest.

For inserting on telescopic poles

Art.No.

12037

PU

1

Ground landing net



490 x 200 mm with adapter.
Perfectly suitable for ornamental pond and pool cleaning.

Material: plastic, aluminium

For inserting on telescopic poles

Art.No.

12039

PU

1

Pool cleaning net



250 x 350 mm with adapter.
High-quality and light. Perfectly suitable for ornamental pond and pool cleaning.

Material: plastic, aluminium

For inserting on telescopic poles

Art.No.

12040

PU

1



Water fed pole



With commercial hose connection and R 1/4" thread for water brushes.

Professional version. Very stable and durable. Light and safe to handle. Perfectly leak-proof and non-drip.

Material: aluminium, brass, plastic

Length / cm	Art.No.		PU
150	14500		10
200	14501		10

Water telescopic pole



With commercial hose connection and R 1/4" thread for water brushes.

Proven professional quality. Allows quick and safe working without twisting. Perfectly leak-proof and non-drip.

Material: aluminium, brass thread, plastic, PE hose

With clip lock

Length / cm	Art.No.		PU
240 (2 x 120)	14502		5
400 (2 x 200)	14503		5
600 (3 x 200)	14504		5
600 (4 x 150)	14519		5
800 (4 x 200)	14505		5
1000 (4 x 250)	14520		4
1200 (4 x 300)	14521		4

Order of 5 items sorted each possible

Angle joint, aluminium



Sturdy joint with water piping.


Angle can be adjusted individually.

Material: aluminium




Length / cm	Art.No.		PU
25	14506		1


Water brush universal

	Mixed hair. For sensitive surfaces like motor vehicles and glass. Reliable, durable design. R 1/4" thread. Material: plastic, brass thread, mixed bristles	Length / cm	Art.No.		PU
		25	14507		1

Water brush universal

	Synthetic bristles. For floors and terraces. Reliable, durable design. R 1/4" thread. Material: plastic, brass thread, synthetic bristles	Length / cm	Art.No.		PU
		25	14508		1


Water brush

	Bristles hard. Professional quality. For floors, facades and stones. Insensible, durable design. R 1/4" thread. Material: plastic, brass thread, synthetic bristles	Length / cm	Art.No.		PU
		25	14509		1
		30	14510		1


Water brush

	Bristles soft. Professional quality. For sensitive surfaces like motor vehicles and glass. Insensible, durable design. R 1/4" thread. Material: plastic, brass thread, synthetic bristles	Length / cm	Art.No.		PU
		25	14511		1
		30	14512		1


Water brush „Solar“

	Bristles super-soft. Perfect for cleaning sensitive surfaces like solar panel. R 1/4" thread. Material: plastic, brass thread, synthetic bristles (super soft)	Length / cm	Art.No.		PU
		25	14513		1


Chamois leather „Media“

	Quality with tiger seal. Chamois leather. Tested and proven. 100% natural product. With operation instructions. Material: sheepskin, 100% fish oil tanned French cut	Length / cm	Art.No.		PU
		45 x 30 (150)	15000		10
		48 x 33 (175)	15001		10
		52 x 35 (200)	15002		10
		55 x 37 (225)	15003		10
		59 x 38 (250)	15004		10
		62 x 40 (275)	15005		10
		65 x 42 (300)	15006		10
		68 x 43 (325)	15007		10
		70 x 45 (350)	15008		10
		72 x 47 (375)	15009		10


Chamois leather „Media“

	Quality with tiger seal. Chamois leather. Tested and proven. 100% natural product. With operation instructions. Material: sheepskin, 100% fish oil tanned Full skin	Length / cm	Art.No.		PU
		74 x 49 (400)	15010		10
		77 x 54 (450)	15011		10
		80 x 60 (500)	15012		10
		82 x 63 (550)	15013		10
		85 x 64 (600)	15014		10
		86 x 69 (650)	15015		10

Chamois leather „Fina special“

	Best quality with lion seal. The professional leather. For highest demands. 100% natural product. With operation instruction. Material: sheepskin, 100% fish oil tanned Full skin	Length / cm	Art.No.		PU
		74 x 49 (400)	15016		10
		77 x 54 (450)	15017		10
		80 x 60 (500)	15018		10
		82 x 63 (550)	15019		10
		85 x 64 (600)	15020		10
		86 x 69 (650)	15021		10

Packaging

	Provided with header card/ hanger or packed individual in a poly bag for presentation in merchandise displays or shelves.	Provided with	
		hanger	
		1 pc in poly bag	



Cleaning set „Solar & winter garden“

Complete basis equipment with stable nylon bag.

Four-section telescopic pole,
T-bar, sleeves „White Star“ & „Blue Star“,
safety scraper, spare blades in package with 5 items,
squeegee 35 cm with channel and rubber, replacement rubber,
joint with adapter element, 2 joint extensions, bag.
12- piece

Length / cm	Art.No.		PU
400 (4x100)	16501		1
600 (4x150)	16502		1
800 (4x200)	16503		1
1000 (4x250)	16504		1
1200 (4x300)	16505		1

Cleaning set „Glass“

Complete basis equipment with stable nylon bag.

Three-section telescopic pole,
squeegee handle, channel of 25, 35 ,45 cm each with rubber, replacement
rubber 25, 35 cm soft,
T-bar 35 cm, sleeves „White Star“ & „Blue Star“,
safety scraper, spare blades 5 items package,
joint for telescopic pole,
Box: blade holder & 10 blades, bag.
15- piece

Length / cm	Art.No.		PU
300 (3x100)	16506		1

LEWI window cleaning set



consisting of:

Bucket, 13 litres, T-bar aluminium 35cm,
Blue Star Velcro 35 cm, Squeegee „Bionic“
kompl. 35 cm, replacement rubber 35 cm,
Microfibre cloth

Art.Nr.		PU
16507		1

LEWI window cleaning set with mop handle




consisting of:

Bucket, 13 litres, T-bar aluminium 35cm,
Blue Star Velcro 35 cm, Squeegee „Bionic“
kompl. 35 cm, replacement rubber 35 cm,
Microfibre cloth and with
4 part. mop handle


Art.Nr.		PU
16508		1




Power Gel

	Window cleaning gel. For best cleaning results.	Quantity	Art.No.	PU
		500 ml	12516	18

Power Liquid

	Window cleaning fluid. For best cleaning results.	Quantity	Art.No.	PU
		1000 ml	12517	12

Neoprene gloves

	Glued and double-sewn. The proven glove against cold. Anti-slip surface for a firm grip. Material: neoprene		Art.No.	PU
		small	12506	1
		large	12508	1
		x - large	12509	1

Gripper



Grabbing without bending.
For comfortable, safe and hygienic waste removal.

Material: plastic, aluminium

Length / cm	Art.No.		PU
40	12502		10
100	12503		10
150	12504		10
200	12505		10

Gripper, metal design



Grabbing without bending.
Very stable. For comfortable, safe and hygienic waste removal.

Material: aluminium, stainless steel

Length / cm	Art.No.		PU
100	12515		10

Paper picker



With exchangeable stainless steel tip.

Material: plastic, aluminium

Length / cm	Art.No.		PU
100	12500		10
Spare tip	12501		1



Belt



Fits for quiver.

Material: nylon
With click fastener

Art.No.

13000

PU

5

Quiver



For squeegees and washers.

Suitable for channels up to 45 cm.
Perfect for working on the ladder
or in narrow rooms.

Material: plastic
With Velcro fastener

Art.No.

13003

PU

5

Apron



With 3 large pockets.

Stable and very robust, Belt is size-
adjustable and can be easily removed.

Material: canvas, Nylon

Art.No.

blue

13004

PU

1



Bucket, 22 litres



Suitable for 45 cm washer and squeegee.

Material: plastic
With mounting hook

	Art.No.		PU
22 l	13500		6
Lid	13501		1

Sieve



Suitable for 22 litre bucket.

Material: stainless steel

	Art.No.		PU
	13502		1

Castors



Suitable for 22 litre bucket.

Material: stainless steel

	Art.No.		PU
4 pcs.	13503		1

Bucket, 13 litres



Suitable for 35 cm washer and squeegee.
Bucket for glass cleaning. Handy and light.

Material: plastic
With mounting hook

	Art.No.		PU
13 l	13504		10

Waxer system complete



With 140 cm stick and cover.
Waxes floors quickly and easily.

Material: aluminium, plastic, mixed fabric*

Length / cm	Art.No.		PU
140	13506		10

Replacement sleeve




For waxing device.
With Velcro.

Material: mixed fabric*

Length / cm	Art.No.		PU
40	13505		10

* base material: 100 % polyester; fibres: 100 % polyacrylic



Water squeegee



Version for lighter works.
Dries floors streak-free, cleans joints.
(suitable for alu handle art. no. 14012)
Foam rubber
22 mm intake

Length / cm	Art.No.		PU
45	14000		10
55	14001		10

Water squeegee re-inforced



Version for harder works.
Dries floors streak-free, cleans joints.
(suitable for alu handle art. no. 14012)
Foam rubber
22 mm intake

Length / cm	Art.No.		PU
45	14002		10
55	14003		10
75	14004		10

Water squeegee oil resistant



Re-inforced, oil resistant version for harder works.
Dries floors streak-free, cleans joints.
(suitable for alu handle art. no. 14012)
Foam rubber
22 mm intake

Length / cm	Art.No.		PU
55	14005		10


Water squeegee




Version for the hygiene sector.
Dries floors streak-free, cleans joints.
(suitable for alu handle art. no. 14010)
Plastic with foam rubber
23 mm intake

Length / cm	Art.No.		PU
45	14006		10
55	14007		10


Tile squeegee

	<p>Version for tile cleaning. Cleans tiles and joints. Foam rubber</p>	Length / cm	Art.No.		PU
		35	14008		10


Telescopic mop handle

	<p>2 x 80 cm adapter cap (23.5 mm). Two-section telescopic pole. High-quality processing, very stable. Material: plastic, aluminium</p>	Length / cm	Art.No.		PU
		160	14009		10


Alu handle

	<p>140 cm, with broom thread. High-quality processing, very stable. Material: plastic, aluminium ø 23 mm</p>	Length / cm	Art.No.		PU
		140	14010		10

Mop handle


	<p>140 cm, for mop holder High-quality processing, very stable. Material: plastic, aluminium ø 23 mm</p>	Length / cm	Art.No.		PU
		140	14011		10

Alu handle

	<p>140 cm, for water squeegee. High-quality processing, very stable. Material: plastic, aluminium ø 22 mm</p>	Length / cm	Art.No.		PU
		140	14012		10




Polishing cloth



Robust and versatile linen.
For polishing and cleaning glass surfaces.

Length / cm	Art.No.		PU
50 x 70	15500		10


Microfibre cloth for glass



Maximum absorption power.
High-quality material, durable.

Length / cm	Art.No.		PU
60 x 80	15501		10
40 x 40	15502		10

Microfibre cloth



Washable with up to 60°C.
For redrying or repolishing wetly pretreated surfaces.

40 x 40 cm


	Art.No.		PU
blue	15504		10


Universal sponge




In 2 sizes, neutrally packed.

Size / mm	Art.No.		PU
165 x 110 x 60	15507		162
180 x 200 x 60	15508		100

Hand pads				
	Thick fleece. Fleece with high cleaning power. 250 x 120 x 20 mm		Art.No.	PU
		weiß	15509	25
		grün	15510	25
		schwarz	15511	25

Pad holder				
	With handle.	Length / cm	Art.No.	PU
		24 x 10	15512	10

Pad holder				
	With moveable joint. Fits on mop handle 14011.	Length / cm	Art.No.	PU
		23 x 10	15513	10



Product overview

1. Washer & T-bars

LEWI washers meet the highest professional demands.

They fit comfortably and safely into the hand, ensuring the right grip even in wet conditions.

2. Squeegees & Rubber

LEWI window wipers allow rapid and streak-free working – even on complicated objects. LEWI wiper rubbers convince through first-class quality and durability.

LEWI wiper bars can be exchanged and adjusted easily. They are made of high-quality stainless steel.

Wiper rubber (hard): perfect for smooth surfaces and warmer outdoor temperatures (Shore-hardness = 60 ± 2).

Wiper rubber (soft): perfect for uneven surfaces and colder outdoor temperatures (Shore-hardness = 53 ± 2).

3. Glass scraper & Blades

Stubborn dirt, paint residues or stickers can be easily removed with LEWI glass scrapers. They fit perfectly into the hand and can be operated fast and easily.

The easy exchange of the blades and the protective mechanisms ensure the necessary safety at work.

4. Telescopic poles

Perfect for all works carried out from a distance, at height or overhead works. The LEWI telescope pole system enables safe and fast working without ladder directly from the ground. It comprises of high-quality professional telescope poles and a large number of complementary tools + components. These can be clipped on easily and safely. The sophisticated Lehmann connection system with special cone ensures a fixed connection at any time.

A specifically fitted slide block prevents the poles from twisting sideways. Available lengths: up to 12 metres. Special sizes on request.


Order, packaging and shipment:

- PU 10: Order of 10 items sorted each possible
- PU 4: Order of 4 items sorted each possible
- Packaging costs are charged in case of orders, which are smaller than our packaging units (PU)
- Shipment effected by forwarding agent (Art.No. 12005, 12009, 12010, 12014, 12015, 14520, 14521, 14522, 16504, 16505,)

5. Water fed poles & Water brushes

LEWI water fed poles and water brushes – for thorough cleaning of house walls, winter gardens, solar modules or vehicles. Very robust and extremely durable.

All poles are equipped with R 1/4" threads for accommodating washing brushes and brass adapters for standard hose connections.



6. Chamois Leather

LEWI chamois leather for clean windows and surfaces, without streaks and stains. A pure natural product - environmentally friendly, tolerated by the skin, absorbent, easy to clean and antistatic.

7. Cleaning sets

Perfect basic equipment for professional cleaning of glass and smooth surfaces:

LEWI set „Glass & window cleaning“

LEWI set „Winter garden & Solar cleaning“

8. Accessories

LEWI accessories have been proven in tough professional use. It helps to make daily cleaning works even easier.

9. Belt, Quiver & Holster

With the LEWI holster, the quiver or the apron, you have the most important items always at hand and, thus, will be able to work fast and speedy.

High-quality materials ensure a long durability.

10. Bucket & Waxer

LEWI buckets are functional and perfectly prepared for professional cleaning use.

The rectangular bucket with a capacity of 22 litres allows a complete immersion of up to 45 cm wide cleaning tools.

11. Water squeegees & Mop handle

Whether for easier cleaning jobs or industrial use LEWI water squeegees are specialists for perfect floor cleaning.

Depending on the job requirements, water squeegees can be supplied with reinforced pole holders or in different foam rubber qualities.

12. LEWI Cloth & Pad sponges

The practical helper for perfect glass cleaning and care.






For an easy removal of smaller or larger dirt.

Proven cleaning system for professionals – versatile, cost effective and safe.

For the past decade QLEEN systems have been used successfully all over the world. QLEEN's easy-connect system modules offer perfect solutions for cleaning glass, building façades, solar systems, vehicles and any number of applications. QLEEN systems are developed on the basis of extensive practical experience, and are manufactured with great precision, offering unbeatable quality and reliability.

Better than clean: QLEEN.

Working with QLEEN is far more efficient than using traditional cleaning processes, because large areas can be cleaned in a significantly more productive and cost-effective manner. Use QLEEN for effortless, safe and reliable cleaning up to a working height of 21 meters, without leaving the ground. No more hire charges and assembly time for scaffolding or work platforms, saving you both time and money. Even delicate surfaces or inaccessible nooks and crannies can be cleaned in a convenient, thorough and careful manner. Thanks to their advanced and ergonomic components, working with QLEEN systems is always smooth and relaxed.

	 PURASTART Mini & Maxi	 PURASTART	 DISY
Operational area	Home	Semi-Professional	Professional
suitable for cleaning	 Glass/Lamella  Solar	 Glass/Lamella  Solar	 Glass/Lamella  Solar  Facade
Cleaning capacity per hour	Up to 50 m ²	Up to 100 m ²	Up to 250 m ²
Water supply	 Water	 Water	 Water  Tank *
Power supply	×	×	 Mains connection *
Cleaning modes	 Purewater	 Purewater	 Water  Purewater  detergent*
Connection for rotating brush ROTAQLEEN	×	×	 *
Remote control for up to 50 m	×	×	 *
Hose	12,5 m robust flexible hose	25 m robust flexible hose	40 m DUO-hose *

* Depending on equipment variant.

Cleaning with the power of pure water.

All QLEEN systems use our tried and trusted PURAQLEEN water treatment technology, which removes all impurities from normal tap water, transforming it into potent, mineral- free, „pure“ water. Because of its ability to combine directly with dirt particles on the surface to be cleaned, „pure“ water cleans rapidly and thoroughly, and runs off immediately.

Surfaces cleaned with QLEEN dry themselves, with no stains or stripes. Cleaning with „pure“ water is ecologically safe, because it can even be done without the use of cleaning additives.



PROFI I



PROFI II



QStation

Professional

Professional



Glass/Lamella



Solar



Facade



Glass/Lamella



Solar



Facade

Up to 250 m²Up to 250 m²

Water



Tank



Water



Tank



Akku



Opt. connection*



Akku



Opt. connection*



Water



Water



detergent*



Water



Purewater



detergent*



50 m DUO-hose



50 m DUO-hose



QLEEN PURASTART Mini & PURASTART Maxi Base station



For occasional cleaning of small to medium-sized areas with sustainable PUREWATER. Carrying handle with integrated measuring device for pure water quality. Water supply via the domestic water connection.

Scope of delivery:

- QLEEN PURASTART Mini or QLEEN PURASTART Maxi base station

Weight: 15 kg / 23 kg
 Dimension: 12,5l: 21 x 21 x 55 cm (L x B x H)
 25l: 21 x 21 x 94 cm (L x B x H)

	Art. No.
12,5 l	17041
25 l	17049

QLEEN PURASTART Mini complete set



For occasional cleaning of small to medium-sized areas with sustainable PUREWATER.

Complete set with all accessories consisting of:

- QLEEN PURASTART Mini basis station (17041)
- Telescopic HYBRIDPOLE extendable to 540 cm (70534)
- Angle brush glass (71041) with Alu-Crank (72649)
- 12.5 m flexi hose with Gardena connection (72643)

Weight: 17,0 kg

Art. No.
70044



QLEEN PURASTART Base station



For occasional cleaning of small to medium-sized areas with sustainable PUREWATER.
Modern manoeuvrable plastic trolley with 25 m flexible hose. Integrated measuring device for pure water quality.
Water supply via the domestic water connection.

Scope of delivery:

- QLEEN PURASTART Base station

Weight: 45 kg
Dimension: 38 x 38 x 110 cm (L x B x H)

		Art. No.
		17042

QLEEN PURASTART complete set



For occasional cleaning of small to medium-sized areas with sustainable PUREWATER.

Complete set with all accessories consisting of:

- QLEEN PURASTART base station (17042)
- Telescopic CARBONPOLE extendable to 900 cm (70534) extendable with 2 CARBONPOLE (accessories|70500)
- Vario brush arch (71037) with 40 cm window brush (71001)

Weight: 50,0 kg

		Art. No.
		70043



25 l granulate bottle for 100 percent conversion of tap water into PUREWATER

Small wheels for horizontal storage in the car


Powerful pump* for uniform Output pressure at the brush of 2.5 bar and for suction from a tank or drum

50 m DUO hose* on removable hose reel

Water connection via claw coupling, Gardena or supplied suction hose*.



Adjustable dosing pump* for admixing cleaning agents for heavily soiled substrates



* Depending on the equipment variant. Picture shows DISY Elektro DUO. Accessories are not included in the scope of delivery.

QLEEN DISY Base station



For regular and professional cleaning of medium to large surfaces with sustainable PUREWATER.
DUO hose system with injector for admixing cleaning agents in case of heavy soiling. (DUO hose version)
Water supply via the domestic water connection

Scope of delivery:

- QLEEN DISY Basisstation

Weight: 72 kg / 73 kg
Dimensions: 66 x 66 x 110 cm (L x B x H)

	Art. No.
single-hose	70051
duo-hose	70052

QLEEN DISY Elektro Base station



For regular and professional cleaning of large areas with sustainable PUREWATER.
DUO hose system with adjustable dosing pump for adding cleaning agents in case of heavy soiling. (DUO hose variant) Water supply via the domestic water connection or self-priming with the integrated powerful pump.
Connection for all current ROTAQLEEN available.

Scope of delivery:

- QLEEN DISY E Basisstation

Weight: 79 kg / 80 kg
Dimensions: 66 x 66 x 110 cm (L x B x H)

	Art. No.
single-hose	70053
duo-hose	70054

QLEEN DISY Elektro complete set



For regular and professional cleaning of medium to large surfaces with sustainable PUREWATER.

Complete set with all accessories consisting of:

- QLEEN DISY electric base station (70054)
- Pole set for a working height of up to 14.5 m: 5 CARBON POLES (70500), 3 TITAN POLES (70501), 1 half TITAN POLE (70502)
- Vario brush arch (71037) with 40 cm window brush (71001)

Weight: 87 kg

	Art. No.
	70040

QLEEN DISY SOLAR Elektro complete set



For regular and professional cleaning of large solar surfaces with sustainable PUREWATER.
40 m Robust and flexible hose.
Built-in solenoid valve for immediate shut-off of the water flow. Water supply via the domestic water connection or self-priming with the integrated powerful pump.

Complete set with all accessories consisting of:

- QLEEN DISY SOLAR base station
- Pole set for a working height of up to 7.5 m: 3 TITAN POLES (70501), 1 half TITAN Pole (70502)
- Vario brush arch (71037) with 60 cm solar brush (71008)

Weight: 65,0 kg

	Art. No.
	70048

QLEEN PROFI I Base station



For regular and professional cleaning of large areas with sustainable PUREWATER.
DUO hose system with adjustable dosing pump for adding cleaning agents in case of heavy soiling.
Water supply via the domestic water connection or self-priming with the integrated powerful pump.
Independent of the power supply due to built-in high-performance batteries.
Connection for all current ROTAQLEEN available.

Scope of delivery:

- QLEEN PROFI I Base station

Weight: 135,0 kg

Dimensions: 112 x 54 x 112 cm (L x B x H)

		Art. No.
		70013

QLEEN PROFI II Base station



For regular and professional cleaning of large areas with sustainable PUREWATER. The PROFI in a modern design.
Power supply already integrated. Remaining equipment like the PROFI I.

Scope of delivery:

- QLEEN PROFI II Base station

Weight: 140,0 kg

Dimensions: 115 x 73 x 109 cm (L x B x H)

		Art. No.
		70037

QLEEN PROFI I complete set



For regular and professional cleaning of large areas with sustainable PUREWATER.

Complete set with all accessories consisting of:

- QLEEN PROFI I base station (70013) including cover (72509)
- Pole set for a working height of up to 14.5 m: 5 CARBON POLES (70500), 3 TITAN POLES (70501), 1 half TITAN POLE (70502) and transport bag (72508)
- Vario brush bow (71037) with 40 cm window brush (71001)

Weight: 147,0 kg

		Art. No.
		70042

Supplementary bottle



Supplementary bottle for the existing bottle holder on the PROFI I & II.
Up to 50 % more efficient utilisation of the granulate, by using the used bottle beyond 50 µS as a pre-filter for the new bottle.

Scope of delivery:

- Supplementary bottle, granulate, bottle head including mounting accessories

Weight: 30,0 kg

		Art. No.
		72642

External power supply PROFI I



Power supply for substructure on the PROFI I. For operation on mains voltage without battery.

Scope of delivery:

- Power supply including connections

Weight: 5,0 kg

		Art. No.
		72653

25 l granulate bottle for 100 percent conversion of tap water into PUREWATER
Expandable with second bottle for doubling total PUREWATER production *

Powerful pump* for uniform
Output pressure at the brush of 2.5 bar and for suction from a tank or drum

Connection for the power supply* (72653) for permanent operation on the mains supply



Measuring device for granulate quality and alarm in case of used granulate
Manual control for both water channels and ROTAQLEEN *



With integrated ROTAQLEEN* connection for all current rotating brushes

50 m DUO hose on hose reel

Water connection via claw coupling, Gardena or supplied suction hose

High-performance battery for up to 8 hours of continuous operation with ROTAQLEEN*. Charger included


Adjustable dosing pump for admixing cleaning agents for heavily soiled substrates



Remote control for controlling both water channels and ROTAQLEEN* at up to 50 m



* Accessories are not included in the scope of delivery.



* Accessories are not included in the scope of delivery.

QStation complete set



For regular and professional cleaning of large areas with sustainable PUREWATER.
For installation in a car or trailer together with a water tank for completely independent cleaning.
DUO hose system with adjustable dosing pump for admixing cleaning agents in case of heavy soiling.
Water supply via the domestic water connection or self-priming with the integrated powerful pump.
Independent of the power supply due to built-in high-performance batteries.
Connection for all current ROTAQLEEN available.

Scope of delivery:

- QStation Basisstation

Weight: 100,0 kg
Dimensions: 73 x 36 x 103 cm (L x B x H)

		Art. No.
		72669

Tank 200 l



Lightweight, stable plastic tank for installation in passenger cars or high-roof station wagons. Flat version with 250 l capacity and integrated surge protection to prevent strong water movements while driving.
Integrated beads on the tank to secure it in the vehicle.

Scope of delivery:

- Tank 250 l with connections

Weight: 22,0 kg
Dimensions: 83 x 110 x 37 cm (B x T x H)

		Art. No.
		72681

Tank 500 l



Lightweight, stable plastic tank for installation in vans or trailers. Upright version with 500 l capacity and integrated surge protection to prevent strong water movements while driving.
Integrated beading on the tank to secure it in the vehicle.
Can be combined with a second tank to double the capacity.

Scope of delivery:

- Tank 500 l with connections

Weight: 34,0 kg
Dimensions: 82 x 100 x 96 cm (B x T x H)

		Art. No.
		72680

External power supply Q-Station



Power supply for mounting on the Q-Station. For operation on mains voltage without battery.

Scope of delivery:


- Power supply including connections

Weight: 5,0 kg

		Art. No.
		72653


For unimagined flights of fancy.

Our wide range of poles extends from lightweight telescopic poles to flexible and lightweight segment poles with innovative and fast bayonet lock for easy assembly and disassembly of the segments. For our poles we use super light and at the same time highly stable carbon. As a cost-effective alternative, we use a special aluminium alloy.




* GPa (Gigapascal) is a unit for tensile strength of the fibre mix..


Teleskop HYBRIDPOLE

	<p>Telescopic pole with 4 segments. Ideal for longer working sessions, can be combined with QLEEN brushes (27/40/60 cm), pad and slat.</p> <p>Scope of delivery:</p> <ul style="list-style-type: none"> Telescopic rod with 4 segments (Ø 30/27/24/21 mm, 4 hose clips and adapter for QLEEN brushes <p>Material: Glas fibre, Carbon Weight: 1,13 kg Length retracted: 162 cm</p>	Lenght		Art.No.
		526 cm		70534


Teleskop CARBONPOLE

	<p>Telescopic pole with 5 segments. Ideal for longer working sessions, can be combined with QLEEN brushes (27/40/60 cm), pad and slat.</p> <p>Scope of delivery:</p> <ul style="list-style-type: none"> Telescopic rod with 5 segments (Ø 33/30/27/24/21 mm), 5 hose clips and adapter for QLEEN brushes <p>Material: Carbon Weight: 1,4 kg / 1,5 kg Length retracted: 163 cm / 186,5 cm</p>	Lenght		Art.No.
		654 cm		70535
		766 cm		70536


Teleskop CARBONPOLE


	<p>Telescopic pole with 6 segments. Ideal for longer working sessions, can be combined with QLEEN brushes (27/40/60 cm), pad, slat and ROTAQLEEN Classic. Extendable with 2 CARBONPOLE poles</p> <p>Scope of delivery:</p> <ul style="list-style-type: none"> Telescopic rod with 6 segments (Ø 42/38/34/30/26/22 mm), 6 hose clips, adapter for QLEEN brushes and bayonet fitting (G4) for extension with TITANPOLE or CARBONPOLE <p>Material: Carbon Weight: 2,7 kg, Length retracted: 204 cm</p>	Lenght		Art.No.
		900 cm		70518

CARBONPOLE


	<p>Pole element with force introduction. All-rounder - can be quickly and easily combined with other QLEEN poles, QLEEN brushes (27/40/60 cm), pad, slat, ROTAQLEEN Classic and Vario.</p> <p>Scope of delivery:</p> <ul style="list-style-type: none"> Rod element (Ø 42 mm) with bayonet lock G4 and wing screw <p>Material: Carbon Weight: 0,59 kg</p>	Lenght		Art.No.
		160 cm		70500

TITANPOLE


	<p>Pole element with force introduction. All-rounder - can be quickly and easily combined with other QLEEN poles, QLEEN brushes (27/40/60 cm), pad, slat, ROTAQLEEN Classic and Vario</p> <p>Scope of delivery:</p> <ul style="list-style-type: none"> Rod element (Ø 42 mm) with bayonet lock G4 and wing screw <p>Material: special aluminum alloy Weight: 0,85 kg / 0,47 kg</p>	Lenght		Art.No.
		163 cm		70501
		80 cm		70502




ROTAQLEEN Classic (Glass)

	<p>The rotating classic for glass cleaning. Brush width: 40 or 60 cm. Driven by two high-performance motors in the brush head. Ideal for cleaning corners, niches and window frames.</p> <p>Scope of delivery:</p> <ul style="list-style-type: none"> ROTAQLEEN Classic with white brush Cable drum with 50m connection cable <p>Weight: 2,2 kg/2,8 kg, Rotationspeed: 180 U/min</p>	Width		Art.No.
		40 cm		72000
		60 cm		72001


ROTAQLEEN Classic (Solar)

	<p>The rotating classic for solar cleaning. Brush width: 40 or 60 cm. Driven by two high-performance motors in the brush head. Ideal for solar panel.</p> <p>Scope of delivery:</p> <ul style="list-style-type: none"> ROTAQLEEN Classic with red brush, , Cable drum with 50 m connection cable l <p>Weight: 2,2 kg/2,8 kg, Rotationspeed: 180 U/min</p>	Width		Art.No.
		40 cm		72004
		60 cm		72005


ROTAQLEEN Classic (Facade)

	<p>The rotating classic for cleaning facades. Brush width: 40 or 60 cm. Driven by two high-performance motors in the brush head. Ideal for cleaning corners, angles and niches in the facade.</p> <p>Scope of delivery:</p> <ul style="list-style-type: none"> ROTAQLEEN Classic with blue brush, , Cable drum with 50 m connection cable l <p>Weight: 2,2 kg/2,8 kg, Rotationspeed: 180 U/min</p>	Width		Art.No.
		40 cm		72002
		60 cm		72003


ROTAQLEEN Classic replacement brush set (Glass)



	<p>For professional glass cleaning. The high-quality ROTAQLEEN bristles are durable and very hard-wearing.</p> <p>Scope of delivery:</p> <ul style="list-style-type: none"> Brush head (right and left), Bristel thickness 0,3 mm, bristle length 30mm <p>Material: PE, PBT, white</p>	Width		Art.No.
		40 cm		72006
		60 cm		72012

ROTAQLEEN Classic replacement brush set (Solar)

	<p>For professional solar cleaning.. The red special bristles clean sensitive surfaces gently and reliably.</p> <p>Scope of delivery:</p> <ul style="list-style-type: none"> Brush head (right and left), Bristel thickness 0,4 mm, bristle length 30mm <p>Material: PE, PBT, red</p>	Width		Art.No.
		40 cm		72010
		60 cm		72016


ROTAQLEEN Classic replacement brush set (Facade)

	<p>For professional facade cleaning. The high quality ROTAQLEEN bristles remove dirt effortlessly even from the smallest interstices.</p> <p>Scope of delivery:</p> <ul style="list-style-type: none"> Brush head (right and left), Bristel thickness 0,5 mm, bristle length 30mm <p>Material: PE, PBT, blue</p>	Width		Art.No.
		40 cm		72008
		60 cm		72014




* Je nach Variante. Bild zeigt ROTAQLEEN Vario 50 Solar.


ROTAQLEEN Vario (Glass)

	<p>Rotating cleaning power for large horizontal glass surfaces. Precise and easy guidance due to patented joint. Brush width: 75 cm or 50 cm Main areas of application: glass roofs, glass domes, movable roof glass constructions, aluminium-glass constructions.</p> <p>Scope of delivery:</p> <ul style="list-style-type: none"> • ROTAQLEEN Vario Glass in 50 cm or 75 cm • 50 m cable drum <p>Weight: 7,6 / 6,5 kg, Rotationspeed: 195 U/min</p>	Width		Art.Nr.
		75 cm		72019
		50 cm		72021


ROTAQLEEN Vario (Solar)

	<p>Rotating cleaning power for large solar surfaces. Precise and easy guidance due to patented joint. Brush width: 75 cm or 50 cm Main areas of application Solar: on-roof systems, stand-mounted solar systems.</p> <p>Scope of delivery:</p> <ul style="list-style-type: none"> • ROTAQLEEN Vario Solar in 50 cm or 75cm • 50 m cable drum <p>Weight: 7,6 / 6,5 kg, Rotationspeed: 195 U/min</p>	Width		Art.Nr.
		75 cm		72018
		50 cm		72020


ROTAQLEEN Vario (Fassade)

	<p>Perfect for facade cleaning applications. Precise and easy guidance due to patented joint. Brush width: 50 cm.</p> <p>Scope of delivery:</p> <ul style="list-style-type: none"> • ROTAQLEEN Vario Facade in 50 cm • 50 m cable drum <p>Weight: 7,6 / 6,5 kg, Rotationspeed: 195 U/min</p>	Width		Art.Nr.
		50 cm		72090


ROTAQLEEN Vario replacement brushes

	<p>For professional glass cleaning. The high-quality ROTAQLEEN bristles are durable and very hard-wearing.</p> <p>Scope of delivery:</p> <ul style="list-style-type: none"> • Replacement brush, bristle thickness 0.3 mm, bristle length 30 mm (glass cleaning) <p>Material: PE, Nylon, white</p>	Width		Art.Nr.
		50 cm		72025
		75 cm		72023


ROTAQLEEN Vario replacement brushes

	<p>For professional solar cleaning. The special red bristles clean sensitive surfaces gently and reliably.</p> <p>Scope of delivery:</p> <ul style="list-style-type: none"> • Replacement brush, bristle thickness 0.4 mm, bristle length 30 mm (solar cleaning) <p>Material: PE, PBT, red</p>	Width		Art.Nr.
		50 cm		72024
		75 cm		72022


ROTAQLEEN Vario replacement brushes

	<p>For professional facade cleaning. The high-quality ROTAQLEEN bristles remove dirt effortlessly even from the smallest gaps.</p> <p>Scope of delivery:</p> <ul style="list-style-type: none"> • Replacement brush, bristle thickness 0.5 mm, bristle length 30 mm (facade cleaning) <p>Material: PE, PBT, blue</p>	Width		Art.Nr.
		50 cm		72026


External power supply

	Portable power supply for ROTAQLEEN. Enables ROTAQLEEN use if the QLEEN station used is not electrically equipped or systems from other manufacturers are used.		Art.No.
	230V/24V		72078
	12V/24V		72032
	Scope of delivery: <ul style="list-style-type: none">Mains unit and remote control (forward and return, by radio only for 230 V / 24 V.		
Weight:		1,13 kg	
Dimensions:		115 x 73 x 109 cm (L x B x H)	


Cable drum ROTAQLEEN

	Cable drum for ROTAQLEEN with 50 m cable and connections for 24 V		Art.No.
			72565
	Scope of delivery: <ul style="list-style-type: none"> Cable drum with 50 m connection cable Weight: 1,13 kg		


ROTAQLEEN Adapter

	Adapter for external systems (Ø 26 mm) Benefit from proven ROTAQLEEN cleaning potential and increase the output of used external systems up to 250 square metres per hour. Suitable for all QLEEN attachments.		Art.No.
			72587
	Scope of delivery: <ul style="list-style-type: none"> Adapter, suitable for rod systems of other manufacturers (Ø 26 mm / Unger) Material: Aluminium		


Transport box for ROTAQLEEN Vario 50/75 cm

	Padded box for safe transport of the ROTAQLEEN Vario.		Art.No.
	50 cm		88858
	75 cm		86729
	Scope of delivery: <ul style="list-style-type: none">• Transportbox o 50 cm or 75 cm		
	Material: PP		
	Dimensions: 50 cm: 66,5 x 30,0 x 30,0 cm (Lx B x H)		
	75 cm: 89,0 x 30,0 x 30,0 cm (Lx B x H)		

Transport box for ROTAQLEEN Classic 40/60 cm

	Padded box for safe transport of the ROTAQLEEN Classic.		Art.No.
			86728
	Scope of delivery: <ul style="list-style-type: none"> Transportbox fo 50 cm or 75 cm Material: PP Dimensions: 64,0 x 43,0 x 15,5 cm (L x B x H)		

ROTAQLEEN adapter for third-party systems (art. no. 72587).






4 brush holders for all common
slat spacings of 50/100 mm, 60
mm, 70 mm and 80 mm

Brush holder and handle together
weigh only 1.2 kg for fatigue-free
and long working hours

Transport box for quick and easy
storage of all lamella cleaner
parts



4 power fan nozzles with
wide beam angle

Accessories for changing the
nozzles Gardena connection for
the domestic water connection

Grip piece with stopcock Integrated
Vario joint for flexible QLEEN pole or
LEWI telescopic pole



Complet set



Perfect choice for slat spacing from 50 to 100mm


Complete set consisting off:

- Brush holder for 50/100 cm, 60 cm, 70 cm and 80 cm slat spacing
- Nozzle set with mounting accessories and tools
- Handle with Vario joint and
- Transport box

Weight: 4,5 kg
Dimensions: 57 x 28 x 28 cm (Lx B x H)

		Art.No.
Set		71500

Brush holder and brush



Perfect choice for slat spacing of 80 mm.

Scope of delivery:

- Single brush or brush holder for 80 mm slat spacing

Brush diameter: 85 mm
Number of brush carrier: 5 brushes

		Art.No.
Träger		71503
Ersatzb.		71504

Brush holder and brush



Perfect choice for slat spacing of 70 mm.


Scope of delivery:

- Single brush or brush holder for 70 mm slat spacing

Brush diameter: 75 mm
Number of brush carrier: 6 brushes

		Art.No.
Träger		71505
Ersatzb.		71506

Brush holder and brush



Perfect choice for slat spacing of 60 mm.


Scope of delivery:

- Single brush or brush holder for 60 mm slat spacing

Brush diameter: 65 mm
Number of brush carrier: 6 brushes

		Art.No.
Träger		71507
Ersatzb.		71508

Brush holder and brush



Perfect choice for slat spacing of 50 mm and 100 mm.

Scope of delivery:

- Single brush or brush holder for 50 and 100mm slat spacing

Brush diameter: 55 mm
Number of brush carrier: 8 brushes

		Art.No.
Träger		71509
Ersatzb.		71510

Handle piece for flap brush holder



Handle with Vario joint, nozzles for finned brush holder and stopcock

Scope of delivery:

- Handle with stopcock
- Nozzle set t

		Art.No.
Set		71502



QLEEN Indoor System



Quick cleaning of hard-to-reach surfaces. Streak-free drying due to demineralised water.

Complete professional interior cleaning system with:

- Control unit with bag
- 5 spare pads with bag
- Water tank with bag
- Joint with pad holder
- 2-piece water telescopic pole, (2x125 cm)
- belt
- charger..

Weight: 2,9 kg

Länge / cm	Art.No.
250	17002

Water telescopic pole - only for QLEEN Indoor




Proven professional quality. Allows quick and safe work without twisting. Perfectly tight and drip-proof.

Material: Aluminium, plastic, PE- Hose

Länge / cm	Art.No.
250 (2 x 125)	17003
300 (3 x 100)	17004
400 (4 x 100)	17005
600 (4 x 150)	17006
800 (4 x 200)	17007
1000 (4 x 250)	17008

Padholder



Pad holder for the QLEEN Indoor System. Stable and durable, quickly replaceable.

Material: Aluminium, PE

Art.No.
17009

Pad



Replacement pad cover for the QLEEN Indoor System.
Durable, high cleaning power.

Material: Mikrofibre

Art.No.

17010

Watertank with connection



Water tank for the QLEEN Indoor System.
For the use of demineralised water.

Art.No.

17011

Crank



Joint for the QLEEN Indoor System.
Robust, angle individually adjustable. This makes it possible to successfully clean even hard-to-reach areas.

Material: Aluminium

Art.No.

17012

Nozzle-holder



Nozzle holder for QLEEN Indoor System.

Art.No.

17013

Nozzle-Set



Nozzle set with hose and connection for the QLEEN Indoor System.

Art.No.

17014

Control unit



Control unit with integrated battery and pump for the QLEEN Indoor System.

Art.No.

17015

Charger



Charger for the QLEEN Indoor System.

Art.No.

17016

Belt bag




1. for water tank (QLEEN Indoor System).
2. for electrics (QLEEN Indoor System).
3. for pad covers (QLEEN Indoor System).

Art.No.

17017

17018

17019



Brush bow VARIO



Compatible with the poles and brushes from the QLEEN range. Robust and universally applicable. Perfect for cleaning hard-to-reach object areas. Joint can be rotated 180° in 30° steps. Brush holder vertically adjustable.

Scope of delivery:

- Brush arch with 5 power nozzles and Vario joint

Material: Aluminium

Art.No.

71037

Brush bow special



Compatible with brushes from the QLEEN range. Perfect for efficient cleaning of bus stops and canopies. Brush rotates 90°, joint rotates 180° in 30° steps..

Scope of delivery:

- Brush arch with 5 power nozzles and 2 aluminium joint

Material: Aluminium

Lenght


160 cm


60 cm


Art.No.

71039


71040


Window brush				
	For streak-free glass cleaning.	Length		Art.No.
	Scope of delivery:	27 cm		71000
	• Scope of delivery:- Window brush, bristle thickness 0.3 mm, bristle length 40 mm	40 cm		71001
	Material: PE, Polyester, white	60 cm		71002

Solar brush				
	For streak free solar cleaning.	Length		Art.No.
	Scope of delivery:	27 cm		71006
	• Solar brush, Bristle thickness 0.4 mm, bristle length 40 mm, spliced	40 cm		71007
	Material: PE, PBT, red	60 cm		71008

Facade brush				
	For thorough facade cleaning.	Length		Art.No.
	Scope of delivery:	27 cm		71003
	• Fassadenbürste, Borstenstärke 0,5 mm, Borstenlänge 40 mm	40 cm		71004
	Material: PE, Nylon, blue	60 cm		71005

Padholder /replacement-Padholder / Pad				
<ol style="list-style-type: none">    	1. stable and proven. For pads or microfibre covers. Pad holder rotates 90°, joint adjustable to 30/60/90°.			Art.No.
	Scope of delivery:	1.		71027
	• Padholder with 3 Power-Nozzle and Alu-Crank	2.		71030
	Material: Aluminium	3.		71031
	2. Replacement - Padholder For pads or microfibre sleeve.			
	Scope of delivery:			
	• Padholder (L x B): 41 x 8 cm (L x B): 41 x 8 cm			
	Material: Aluminium, PE			
	3.Replacement - pad Perfect cleaning power. High water absorption. Well washable.			
	Scope of delivery:			
	• Pad with velcro for Padholder (L x B): 45 x 12 cm			
	Material: Mikrofibrer			


Alu-Crank (PURASTART Mini)				
	Robust, ideal for working in hard-to-reach areas. Angle can be adjusted individually. For use with the angle brush (71041)			Art.No.
	Scope of delivery:			72649
	• Alu-Crank			
	Material: Aluminium			

Angle brush glass				
	For easy and thorough glass cleaning. Fits all QLEEN poles in combination with the PURASTART Mini joint (72649).	Length		Art.No.
	Scope of delivery:	27 cm		71041
	• Angle brush, bristle thickness 0.25 mm, bristle length 40 mm, incl. nozzles			
	Material: PE, PBT, white			



Sustainable and simple.
A phone call is all it takes. We will then send you a refilled granulate bottle and a return label. Replace the bottle and pack it in the box. Return label on the box and our shipping service provider will then take the bottle back.

We return the used granulate to the recycling process for reuse.



Bottles

	1. bottle for mixed bed resin 25 l incl. screw cap and bottle base		Art.No.
	2. bottle for mixed bed resin 12,5 l incl. screw cap and bottle base. base	1.	72504
	3. bottle base	2.	72505
	4. bottle cap	3.	72506
		4.	72507

Bottle head with tube and filter

	1. for QLEEN PROF I and II, DISY 2. Generation		Art.No.
	2. for QLEEN PURASTART and PURASTART MINI	1.	72666
	3. for QLEEN PROF I II, DISY 2. Generation	2.	72651
	4. for QLEEN PROF I I	3.	72556
		4.	72555

Mixed bed resin (Granulate)

	The proven water treatment technology. For demineralising tap water.	Quantity	Art.No.
	Scope of delivery: <ul style="list-style-type: none"> Mixed bed resin (Granulate) 	25 l	72502
		12,5 l	72503

* Only available in Germany.

Trolley and bag



For safe storage and transport.
- Pole trolley for 12 QLEEN poles
- Bag for 14 QLEEN poles + 1/2 pole

Scope of delivery:

- Trolley and bag for QLEEN Poles (without poles)

Weight: 7,75 kg / 0,75 kg

	Art.No.
Trolley	72548
Bag	72508

Adapter for pole system



1. adapter for rod systems G3 to G4
2. adapter for rod systems G4 to G3

Material: Special aluminium alloy

	Art.No.
1.	70511
2.	70512

Handle



Suitable for CARBON- and TITANPOLE G4 as well as telescopic CARBON POLE with 6 segments (Art. No.: 70518)

Scope of delivery:


- Handle with wing screw, bayonet lock G4

Material: Aluminium

Weight: 0,12 kg

Length	Art.No.
15 cm	72571

Solar-sliding shoe



Tailor-made for solar cleaning. Protects sensitive module surfaces during cleaning. Velcro fasteners guarantee a secure connection with the QLEEN poles


Scope of delivery:

- Solar glide shoe, bristle thickness 0.4 mm, bristle length 30 mm

Material: PE, PBT, rot

Ø	Art.No.
42 mm	72040

Adapter for brush bow



For QLEEN poles with bayonet lock G4. Ensures a firm and secure connection between QLEEN brush bow and QLEEN poles.


Scope of delivery:

- Adapter, suitable for QLEEN poles (Ø 42 and 50 mm) with bayonet lock G4


Material: Aluminium anodised

	Art.No.
	72516


Single hose

Single hose		Art.No.
	1. Ø 8 mm, maximum 50 m, blue	72677
	2. Ø 10 mm, maximum 50 m, blue	72678
	3. Ø 10 mm, maximum 50 m, black	72679
	4. Ø 9 mm, maximum 100 m, flex,black	12106
	5. Ø 12 mm, maximum 100 m, flex,black	90029
Material: PUR (1.-3.), PVC (4.&5.)		*price in m

Duo hose blue/black

Duo- hose blue/black		Art.No.
	1. 50 m, Ø 8 mm forr QLEEN PROFI System until Series-No. 1765/0214	72512
	2. 50 m, Ø 10 mm for QLEEN PROFI System	72514
	3. 40 m, Ø 10 mm - forr QLEEN DISY	72595
Material: PUR		


Hose connector

Hose connector		Art.No.
	1. hose connector with valve, Ø 8 mm	72521
	2. hose connector with valve, Ø 10 mm	72524
	3. hose connector, Ø 8 mm	72522
	4. hose connector, Ø 10 mm	72525
	5. hose connector Ø 8 mm up to 10 mm	IQSG 108
	6. Y- connector, Ø 8 mm	72523
	7. Y- connector, Ø 10 mm	72526
	8. Y- connector reduce Ø 10 mm to Ø 8 mm	72527


Hose-Set for PURASTART Mini

Hose-Set for PURASTART Mini		Länge	Art.No.
	For cleaning work with the PURASTART Mini. Very robust and reliable.	1250 cm	72643
	Scope of delivery: <ul style="list-style-type: none"> Single hose, Ø 9 mm, length 12.5 m, adapter for bottle head, 6 hose holder clipse Material: PVC with fabric lining		

Hose reel

Hose reel		Art.No.
	1. Hose reel for DISY with fold-down handle and Connections for 50 m hose Ø 10 mm, removable innovating fastening	72638
	2. Hose reel for Profi I with fold-down handle and Connections for 50 m hose Ø 10 mm, removable innovating fastening	72612
	3. Fold - down handle for hose reel	72570
Scope of delivery: <ul style="list-style-type: none"> Hose reel with connection for Ø 10 mm Hose or fold-down handle Material: glasfibre and PVC Dimensions: 41 x 30 x 34 cm (L x B x H)		

SHose holder

SHose holder		Art.No.
	For a fixed installation - not removable.	72637
	Scope of delivery: <ul style="list-style-type: none"> 2 holder Material: powder coated steel plate Dimensions: 29 x 13 x 13 cm (L x B x H)	

Nozzle holder



Nozzle holder for brush bow and ROTAQLEEN Classic (without nozzle)

		Art.No.
		72547

Hose connection for nozzle holder



1. Hose connection with nozzle 0,4 mm
2. Hose connection with nozzle 0,6 mm
3. Hose connection with nozzle 0,8 mm (for leaning component)

		Art.No.
1.		72537
2.		72538
3.		72539

Nozzle + O-Ring



1. Nozzle 0,3 mm with O-Ring
2. Nozzle 0,4 mm with O-Ring
3. Nozzle 0,6 mm with O-Ring
4. Nozzle 0,8 mm with O-Ring

		Art.No.
1.		72598
2.		72541
3.		72540
4.		72542

Claw lock



1. claw coupling with 1/2" external thread
2. replacement seal for claw coupling 3/4".
3. Cap for GK couplin

		Art.No.
1.		72543
2.		72544
3.		72545

Screw – claw closure and sieve



1. claw coupling screwable with hose nozzle Ø 13 mm
2. replacement seal for claw coupling
3. Sieve for claw coupling
4. claw adapter suitable for Gardena connection

		Art.No.
1.		72551
2.		72552
3.		72557
4.		72654

Hose connection for brush holder



1. Hose connection brush 1/8" - Ø 8 mm
2. Connector – socket 1/8"

		Art.No.
1.		72549
2.		72550




Pressure reducer






Inlet up to 15 bar, outlet adjustable from 2.5 - 5 bar and 2 claw couplings 1/2".
For PROF I and DISY Elektro 2nd generation

		Art.No.
		72546

Replacement remote control




		Art.No.
 <p>1. </p> <p>2. </p>	Replacement remote control 1. for units from 2014 2. for units up to 2013	1. 72554
		2. 72553

Battery and charger QLEEN PROFI systems and AUTARK




		Art.No.
 <p>2. </p> <p>4. </p>	1. battery 12 V, 105 Ah, gel for 12 V systems 2. battery 12 V, 50 Ah, gel for 24 V systems (2 pieces) 3. fully automatic charger- for systems until 05/2015 Input voltage 110V/230 V 4. fully automatic charger- for systems from 05/2015 onwards. Input voltage 110V/230V	1. 72558
		2. 72559
		3. 72560
		4. 72561

* price for 1 piece



Dosing pump head + vent tap

		Art.No.
 <p>1. </p> <p>2. </p>	1. Dosing pump head 2. Vent tap	1. 90030
		2. 72652


Diaphragm pumps, 150 PSI

		Art.No.
 <p>1. </p> <p>2. </p>	1. 24 V for QLEEN DISY Elektro, 2. Generation 2. 24 V for QLEEN PROFI II 3. 24 V for QLEEN PROFI I 4. 12 V for QLEEN PROFI I 5. pressure switch for Flojet pump	1. 72623
		2. 72624
		3. 72625
		4. 72607
		5. 2091150


Magnet valve

		Art.No.
 <p>1. </p>	1. Magnet valve 24 V 2. Magnet valve 12 V	1. 140843
		2. 146028


Cover

	Cover for QLEEN PROFI I			Art.No.
				72509


Bottle head opener

	1. set for loosening the bottle head QLEEN PROFI I as well as QLEEN DISY 1st generation 2. octagonal key for opening mixed bed resin bottles			Art.No.
		1.		72582
		2.		72581


Handheld meter

	Hand-held meter for checking the water quality			Art.No.
				72567


Adapter from QLEEN to LEWI

	For use of the LEWI range in conjunction with QLEEN poles. Material: Aluminium			Art.No.
				92502


Wing screws

	1.Wing screw G3, Ø 50 mm 2.Wing screw G4, Ø 50 mm 3.Wing screw G4, Ø 42 mm			Art.No.
		1.		72518
		2.		72519
		3.		72520

Enzym cleaner

	QLEEN Enzyme Cleaner - concentrate 1kg can Can be used wherever large amounts of grease, soot, algae, moss & other organic soiling are a problem.			Art.No.
				72529

Warning sign

	Warning sign "Attention danger of slipping" with suspension hook			Price
				14,99

All statements without guarantee.
Subject to changes.

All prices (per piece) are exclusive VAT.

LEHMANN KG
KRANICHSTRASSE 2A
D-17235 NEUSTRELITZ

TEL +49 (0) 3981 48850
EMAIL INFO@LEWI.DE
WEB WWW.LEWI.DE

02 | 2022 - DE