

QLEEN 2016

PHONE +49 (0) 3981 48850
EMAIL INFO@QLEEN.DE
WEB WWW.QLEEN.DE

LEHMANN KG
KRANICHSTRASSE 2A
D-17235 NEUSTRELITZ

QLEEN

PURE WATER CLEANING SYSTEMS

Product overview

PURASTART Mini



Base station. PURAQLEEN inside.
Working height up to 9 metres
Weight: 15 kg,
Dimensions: 21 x 21 x 55 cm (L x W x H)

Art.No.	PU
17041	1

PURASTART



Base station. PURAQLEEN inside.
Working height up to 15 metres
Weight: 35 kg,
Dimensions: 38 x 38 x 110 cm (L x W x H)

Art.No.	PU
17042	1

QLEEN DISY



Base station. PURAQLEEN inside.
Working height up to 15 metres
Weight: 55 kg,
Dimensions: 66 x 66 x 110 cm (L x W x H)

Art.No.	PU
70038	1

QLEEN DISY Electro



Base station. PURAQLEEN inside.
Working height up to 21 meters
24 V ROTAQLEEN connection.
Weight: 60 kg,
Dimensions: 66 x 66 x 110 cm (L x W x H)

Art.No.	PU
70039	1

QLEEN PROFI I



Base station. PURAQLEEN inside.
Working height up to 21 Meters.
24 V ROTAQLEEN connection, optical and acoustic water testing as well as shut off.
Weight: 150 kg,
Dimensions: 117 x 48 x 105 cm (L x W x H)

Art.No.	PU
70013	1


QLEEN PROFI II




Base station. PURAQLEEN inside.
Working height up to 21 Meters.
24 V ROTAQLEEN connection, optical and acoustic water testing as well as shut off.
Weight: 150 kg,
Dimensions: 115 x 73 x 110 cm (L x W x H)

Art.No.	PU
70037	1


QLEEN AUTARK 600 (Trailer installation system)

	<p>Work station. PURAQLEEN inside. Working height up to 21 meters 24 V ROTAQLEEN connection. (2) = x 2 in the case of double workstation Kerb weight: 290 kg / 375 kg (2), Dimensions: 163 x 120 x 108 cm (L x W x H)</p>	Art.No.	PU
		70029	1
		(2) 70031	1


QLEEN AUTARK 600

	<p>Trailer (single axle) Meets statutory requirements for use with trailer loads of up to 1350 kg, overrun braking. Simple and safe manoeuvring.</p>	Art.No.	PU
		70033	1


QLEEN AUTARK 1000 (Trailer installation system)

	<p>Work station (single/double) PURAQLEEN inside. Working height up to 21 metres 24 V ROTAQLEEN connection, optical and acoustic water testing as well as shut off. (2) = x 2 in the case of double workstation Kerb weight: 330 kg / 415 kg (2), Dimensions: 163 x 120 x 108 cm (L x B x H)</p>	Art.No.	PU
		70030	1
		(2) 70032	1


QLEEN AUTARK 1000

	<p>Trailer (twin axles) Meets statutory requirements for use with trailer loads of up to 2,000 kg, overrun braking. Simple and safe manoeuvring.</p>	Art.No.	PU
		70034	1

QLEEN AUTARK 400 (Car installation system)

	<p>Work station (single/double) PURAQLEEN inside. Working height up to 21 metres 24 V ROTAQLEEN connection, optical and acoustic water testing as well as shut off. (2) = x 2 in the case of double workstation Kerb weight: 275 kg / 360 kg (2), Dimensions: 163 x 120 x 108 cm (L x W x H)</p>	Art.No.	PU
		70035	1
		(2) 70036	1

Monotube

	<p>For cleaning tasks without the use of cleaning agents. Very robust and reliable. Material: PUR, blue</p>	Length / cm	Art.No.	PU
		5000	72646	1

Hose bracket



For a fixed installation - non removable.
With installation accessories.

Material: Steel plate, powder coated

Art.No.	PU
72637	1

Hose reel



Removable. With installation accessories.

Material: PC, fibreglass reinforced, stainless steel

Art.No.	PU
72638	1

Duo-hose (QLEEN DISY)



For cleaning tasks with cleaning chemicals.
Very robust and reliable.
Dual hose incl. injector.

Material: PUR, blue / black

Length / cm	Art.No.	PU
4000	72639	1

Duo-hose (QLEEN DISY Electro)



For cleaning tasks with cleaning chemicals.
Very robust and reliable.
Dual hose incl. metering pump.

Material: PUR, blue / black

Length / cm	Art.No.	PU
4000	72640	1

Supplementary bottle (QLEEN PROFI II)



Efficient PURAQLEEN water conditioning.
Filter and mixed-bed resin.

Litres	Art.No.	PU
25	72641	1

Supplementary bottle (QLEEN PROFI I)



Efficient PURAQLEEN water conditioning.
Filter and mixed-bed resin.

Litres	Art.No.	PU
25	72642	1

Power supply unit (QLEEN Profi I)



For connection to the electrical grid.
In the chassis version, the power supply unit can simply be mounted on the QLEEN PROF I.

Art.No.	PU
72575	1

Hosepipe set (Purastart Mini)



For cleaning tasks using the PURASTART Mini.
Very robust and reliable.
With adapter for pivot joint or brush on QLEEN telescopic poles as well as clips for fitting the hose.

Material: PVC with woven fabric inlay

Length / cm	Art.No.	PU
1250	72643	1

Aluminium pivot joint (Purastart / Purastart Mini)




Robust, ideal for tasks in areas with difficult access
Angle can be adjusted as required.


Material: Aluminium

Art.No.	PU
12023	1


Telescopic HYBRIDPOLE

	<p>Telescopic pole with 4 segments Lightweight and safe - ideal for long working hours.</p> <p>Material: Fibreglass, carbon Weight: 1.2 kg, Length when retracted: 158 cm</p>	Length / cm	Art.No.	PU
		540	70534	1

Telescopic CARBONPOLE

	<p>Telescopic pole with 5 segments Ideal for lengthy cleaning tasks, can be combined with QLEEN brushes (27/40/60 cm) and pads.</p> <p>Material: Carbon Weight: 1,3 kg / 1,4 kg, Length when retracted: 158 cm / 181 cm</p>	Length / cm	Art.No.	PU
		639	70535	1
		766	70536	1


Telescopic CARBONPOLE

	<p>Telescopic pole with 6 segments Ideal for lengthy cleaning tasks, can be combined with QLEEN brushes (27/40/60 cm) and pads as well as ROTAQLEEN CLASSIC. In combination with CARBONPOLE, also usable with ROTAQLEEN VARIO and VARIO Light.</p> <p>Material: Carbon Weight: 2.7 kg, Length when retracted: 204 cm</p>	Length / cm	Art.No.	PU
		900	70518	1

CARBONPOLE

	<p>Pole element with force transmission. All-rounder - quick and easy combination with other QLEEN Poles, QLEEN brushes (27/40/60 cm), pad as well as ROTAQLEEN CLASSIC, VARIO and VARIO Light.</p> <p>Material: Carbon Weight: 0.59 kg</p>	Length / cm	Art.No.	PU
		160	70500	1

TITANPOLE

	<p>Pole element with force transmission. All-rounder - quick and easy combination with other QLEEN Poles, QLEEN brushes (27/40/60 cm), pad as well as ROTAQLEEN CLASSIC, VARIO and VARIO Light.</p> <p>Material: Aluminium alloy Weight: 0.85 kg</p>	Length / cm	Art.No.	PU
		163	70501	1
		80	70502	1

Window brush




For streak-free glass cleaning. Bristle thickness 0.3 mm, bristle length 40 mm.

Material: PE, polyester, white

Length / cm	Art.No.	PU
27	71000	1
40	71001	1
60	71002	1

Façade brush




For thorough façade cleansing. Bristle thickness 0.5 mm, bristle length 40 mm.

Material: PE, nylon, blue

Length / cm	Art.No.	PU
27	71003	1
40	71004	1
60	71005	1

Solar panel brush



For the perfect cleaning of solar panels. Bristle thickness 0.4 mm, bristle length 40 mm, fanned.

Material: PE, PBT, red

Length / cm	Art.No.	PU
27	71006	1
40	71007	1
60	71008	1

Special livestock farming brush



For the removal of serious soiling. Bristle thickness 0.4 mm, bristle length 40 mm.

Material: PE, PBT, black

Length / cm	Art.No.	PU
27	71009	1
40	71010	1
60	71011	1

Windowsill and window frame brush (Glass)



For cleaning corners, nooks and crannies, edges and slanted surfaces. Bristle thickness 0.3 mm, bristle length 20 to 50 mm.

Material: PE, polyester, white

Length / cm	Art.No.	PU
35	71014	1

Windowsill and window frame brush (Façade)



For cleaning corners, nooks and crannies, edges and slanted surfaces. Bristle thickness 0.4 mm, bristle length 20 to 50 mm.

Material: PE, nylon, blue

Length / cm	Art.No.	PU
35	71015	1

Angle brush for windows



For easy and thorough window cleansing from various application angles. Bristle thickness 0.25 mm, bristle length 40 mm.

Material: PE, PBT, white

Length / cm	Art.No.	PU
27	71041	1

Angle brush for façades



For easy and thorough façade cleansing from various application angles. Bristle thickness 0.5 mm, bristle length 40 mm

Material: PE, PBT, blue

Length / cm	Art.No.	PU
27	71042	1

Angle brush for solar panels



For easy and thorough solar panel cleansing from various application angles. Bristle thickness 0.35 mm, bristle length 40 mm, fanned.

Material: PE, PBT, red

Length / cm	Art.No.	PU
27	71043	1

Solar panel slide shoe



Designed specifically for solar panel cleansing. Protects sensitive module surfaces during cleansing tasks. Velcro fasteners guarantee a secure connection to the QLEEN poles

Material: PE, PBT, red

Ø / mm	Art.No.	PU
42	72039	1
50	72040	1

Vario brush joints




Compatible with brushes from the QLEEN range.

All-purpose and robust. Perfect for cleaning areas that are difficult to reach. Brush can be rotated through 90°, pivot joint can be set at 30/60/90°.

Material: Aluminium

Brush / cm	Art.No.	PU
27	71037	1

Pad holder



Rigid and reliable.

For pads for microfibre covers. Pad holder can be rotated through 90°, pivot joint can be set at 30/60/90°.

Material: Aluminium

Pad / cm	Art.No.	PU
41	71027	1

Special brush joint



Compatible with brushes from the QLEEN range.

Perfectly designed for the efficient cleansing of bus stops and canopies. Brush can be rotated through 90°, pivot joint can be set at 30/60/90°.

Material: Aluminium

Length / cm	Art.No.	PU
160	71039	1
60	71040	1

Brush joint adapter



For QLEEN poles with G4 bayonet connector

Ensures a firm and secure connection between QLEEN brush joints and QLEEN poles.

Material: Anodised aluminium

Art.No.	PU
72516	1

Spare pad holder



Rigid and reliable.

For pads for microfibre covers.

Material: Aluminium, plastic

Length / cm	Art.No.	PU
41	71030	1

Spare cover



Fits QLEEN pad holder.

Perfect cleaning power. High water absorption. Easy to clean.

Material: Micro fibres

Length / cm	Art.No.	PU
45	71031	1

ROTAQLEEN Classic (Glass)



The classic rotating brush for thorough glass cleaning.

Brush width: 40 or 60 cm. Drive via two high-performance motors in the brush head. Ideal for cleaning corners, nooks and crannies and window frames.

**Weight: 2.2 kg or 2.8 kg,
Motor (24 V, 180 U/min.)**

Width / cm	Art.No.	PU
40	72000	1
60	72001	1

ROTAQLEEN Classic (Façade)



The classic rotating brush for thorough façade cleaning.

Brush width: 40 or 60 cm. Drive via two high-performance motors in the brush head. Ideal for cleaning corners, nooks and crannies and façade niches.

**Weight: 2.2 kg or 2.8 kg,
Motor (24 V, 180 U/min.)**

Width / cm	Art.No.	PU
40	72002	1
60	72003	1

ROTAQLEEN Classic (Solar)



The classic rotating brush for thorough solar panel cleaning.

Brush width: 40 or 60 cm. Drive via two high-performance motors in the brush head. Ideal for solar panel cleaning.

**Weight: 2.2 kg or 2.8 kg,
Motor (24 V, 180 U/min.)**

Width / cm	Art.No.	PU
40	72004	1
60	72005	1

ROTAQLEEN Classic replacement brushes (Set)



For professional glass cleaning.

The high-quality ROTAQLEEN brushes are durable and extremely hard wearing. Bristle thickness 0.3 mm, bristle length 30 mm.

Material: PE, PBT, white

Width / cm	Art.No.	PU
40	72006	1
60	72012	1

ROTAQLEEN Classic replacement brushes (Set)




For professional façade cleaning.

These high-quality ROTAQLEEN brushes effortlessly remove dirt from even the smallest spaces. Bristle thickness 0.5 mm, bristle length 30 mm.

Material: PE, PBT, blue

Width / cm	Art.No.	PU
40	72008	1
60	72014	1

ROTAQLEEN Classic replacement brushes (Set)




For professional solar panel cleaning.

These special red bristles clean sensitive surfaces carefully and reliably. Bristle thickness 0.4 mm, bristle length 30 mm.


Material: PE, PBT, red

Width / cm	Art.No.	PU
40	72010	1
60	72016	1


External power supply

	Portable power connector for ROTAQLEEN Makes it possible to use ROTAQLEEN, even when a given QLEEN station has no built-in electrical power system, or when third-party systems are used.	Art.No.	PU	
		230 V / 24 V	72031	1
		12 V / 24 V	72032	1

ROTAQLEEN adapter

	Adapter for third-party systems (Ø 26 mm) Enjoy the benefits of ROTAQLEEN's cleaning potential whilst increasing the performance of existing third-party systems to 250 square meters per hour. Material: Aluminium	Art.No.	PU
		72587	1


ROTAQLEEN Vario (Glass)

	Rotating cleaning power for large horizontal areas of glazing. Precision guidance and control system via special patented joint. Brush width: 50 or 75 cm (optional conversion set). Best for: glazed roofing, glass domes, moveable glass structures, mixed aluminium-glass structures. Weight: 6.8 / 7,5 kg, Motor (24 V, 180 U/min.)	Width / cm	Art.No.	PU
		50	72021	1
		75	72019	1


ROTAQLEEN Vario (Solar)

	Rotating cleaning power for large horizontal areas of solar panelling. Precision guidance and control system via special patented joint. Brush width: 50 or 75 cm (optional conversion set). Main solar energy applications: roof-mounted systems, elevated solar systems. Weight: 6.8 / 7,5 kg, Motor (24 V, 180 U/min.)	Width / cm	Art.No.	PU
		50	72020	1
		75	72018	1


ROTAQLEEN Vario Light (Glass)

	Perfect for lengthy glass-cleaning tasks. Low kerb weight (4.7 kg) - so that even tall glazed façades can be conveniently cleaned with little physical effort. Precision guidance and control via special patented joint. Brush width: 50 cm. Weight: 4.7 kg, Motor (24 V, 180 U/min.)	Width / cm	Art.No.	PU
		50	72073	1

ROTAQLEEN Vario Light (Façade)

	Perfect for lengthy façade-cleaning tasks. Low kerb weight (4.7 kg) - so that even tall glazed façades can be conveniently cleaned with little physical effort. Precision guidance and control via special patented joint. Brush width: 50 cm. Weight: 4.7 kg, Motor (24 V, 180 U/min.)	Width / cm	Art.No.	PU
		50	72075	1

ROTAQLEEN Vario Light (Solar)



Perfect for lengthy solar panel cleaning tasks.

Low kerb weight (4.7 kg) - so that even tall glazed façades can be conveniently cleaned with little physical effort. Precision guidance and control via special patented joint. Brush width: 50 cm.

Weight: 4.7 kg,
Motor (24 V, 180 U/min.)

Width / cm	Art.No.	PU
50	72074	1

ROTAQLEEN Vario conversion set



Spray guard, connectors, solar panel brushes.

Quick and easy to configure for the required deployment range. 50 cm or 75 cm - to guarantee the optimum solution at all times.

Width / cm	Art.No.	PU
50 to 75	72027	1
75 to 50	72028	1

ROTAQLEEN Vario conversion set



Tin-plate spray guard.

Quick and easy to replace.

Width / cm	Art.No.	PU
50	72029	1
75	72030	1

ROTAQLEEN Vario replacement brushes



For professional glass cleaning.

The high-quality ROTAQLEEN brushes are durable and extremely hard wearing. Bristle thickness 0.3 mm, bristle length 30 mm.

Material: PE, PBT, white

Width / cm	Art.No.	PU
50	72025	1
75	72023	1

ROTAQLEEN Vario replacement brushes




For professional solar panel cleaning.

These special red bristles clean sensitive surfaces carefully and reliably. Bristle thickness 0.4 mm, bristle length 30 mm.

Material: PE, PBT, red

Width / cm	Art.No.	PU
50	72024	1
75	72022	1

ROTAQLEEN Vario replacement brushes




For professional façade cleaning.

These high-quality ROTAQLEEN brushes effortlessly remove dirt from even the smallest spaces. Bristle thickness 0.5 mm, bristle length 30 mm.


Material: PE, PBT, blue

Width / cm	Art.No.	PU
50	72026	1


Brush holder and brushes

	<p>Perfect choice for lamella spacings of 80 mm. Easy to operate. Up to 50 per cent quicker than traditional manual cleaning processes. Material: Aluminium. Polyester, black</p>	Art.No.	PU	
		Support	71503	1
		Brush	71504	1


Brush holder and brushes

	<p>Perfect choice for lamella spacings of 70 mm. Easy to operate. Up to 50 per cent quicker than traditional manual cleaning processes. Material: Aluminium. Polyester, black</p>	Art.No.	PU	
		Support	71505	1
		Brush	71506	1


Brush holder and brushes

	<p>Perfect choice for lamella spacings of 60 mm. Easy to operate. Up to 50 per cent quicker than traditional manual cleaning processes. Material: Aluminium. Polyester, black</p>	Art.No.	PU	
		Support	71507	1
		Brush	71508	1

Brush holder and brushes

	<p>Perfect choice for lamella spacings of 50 or 100 mm. Easy to operate. Up to 50 per cent quicker than traditional manual cleaning processes. Material: Aluminium. Polyester, black</p>	Art.No.	PU	
		Support	71509	1
		Brush	71510	1

Complete set

	<p>Perfect choice for lamella spacings of 50 to 100 mm. Versatile complete set in a practical storage box with lid. Material: Aluminium. Polyester, black</p>	Art.No.	PU
		Set	71500

QLEEN 2016

QLEEN

PURE WATER CLEANING SYSTEMS

All information supplied without guarantee.
Subject to alterations.