

LEHMANN


GERMAN CLEANING SYSTEMS

01 | 2025 - ENGL

TEL +49 (0) 3981 48850
EMAIL INFO@LEWI.DE
WEB WWW.LEHMANN-KG.COM

LEWI

PROFESSIONAL CLEANING TOOLS



LEHMANN KG
KRANICHSTRASSE 2A
D-17235 NEUSTRELITZ

QLEEN

PURE WATER CLEANING SYSTEMS



Table of contents

LEWI

Washers & T-bars	6-8
Squeegees & Rubber	9-12
Glass scrapers & Blades	13-15
Telescopic poles & Accessories.....	16-19
Water fed poles & Water brushes.....	20-21
Chamois leather.....	22
Cleaning sets	23
Accessories.....	24-25
Belts, Quivers & Holsters.....	26
Buckets & Waxers.....	27
Water squeegees & Mop handles.....	28-29
Cloths & Pad sponges.....	30-31

QLEEN

Purastart	36-37
Purastart E	38-39
DISY	40-41
PROFI	42-43
Q-Station	44-45
RO-Osmosis system.....	46-47
Segment poles & accessories.....	49
NoTwist Telescopic poles	50-51
ROTAQLEEN Classic	52-53
ROTAQLEEN Vario	54-55
ROTAQLEEN accessories.....	56-57
Q-Power.....	58-59
Lamella blind cleaners.....	60-61
Indoor systems	62
Detergent dispenser.....	63
Brush bows & brushes.....	64-65
Mixed bed resin & bottles	66
Hoses and accessories.....	67
Accessories.....	68
Spare parts	69-71



LEWI

PROFESSIONAL TOOLS www.lewi.de

Tried and tested professional quality for the glass and building cleaner.

For relaxed and safe working.

Under the LEWI product brand, the Lehmann KG has produced sophisticated quality tools for window cleaner for many years.

The proven LEWI philosophy:

Versatile and ergonomic components, perfect quality and optimum functionality – at an attractive price.

The reliable and versatile LEWI tools can easily be used in the hand or on telescope poles.

Thus, even hard-to-reach areas can be cleaned flawlessly and easily. The tried and tested LEWI fixation at the handle guarantees safe working at all times.

LEWI Bionic. High-quality tools.

- Ergonomic design
- Safe connection technology
- Versatile components
- Perfect, streak-free cleaning performance
- Safe and fatigueless working

LEWI wiper rubber. Top quality.

- Specially shaped and vulcanized
- Flawless wiping thanks to precisely manufactured edges.
- Extremely elastic – glides quickly and easily
- Durable and reliable in daily use
- For streak-free cleaning at any time of year



LEWI Telescopic poles. Perfect professional solutions.



Sleeve „Micro fibre“
High water absorption and strong cleaning power.



Sleeve „Blue star“
Fabric made of PES- & micro fibres. Perfect for large surfaces.



Sleeve „Power fibre“
Fabric made of high-quality fibres. Removes encrusted dirt easily.

Squeegee „Bionic Duo“
Window squeegee and washer in one professional system. Practical: wash with one side dry up with the other side.



Plastic T-bar "BIONIC"
Window washer T-bars are high quality and durable.



Squeegee „Bionic“
Complete with rubber an stainless steel channel.



Pipe brush "Bionic"
For cleaning walls and rough surfaces.



Surface scraper „Bionic“
Windows and surface scraper. Very stable. Perfect for telescopic pole use. With safety cap.



Water brush
Insensitive, durable version with R 1/4" thread.



Angle joint, aluminium
Perfect for cleaning hard to reach areas. Angle can be individually adjusted.




Garden tools
Quick and effective helpers. Safe, without ladder use.



Multifunctional holder
For safe painting from the ground. For fastening tools.



- Reliable locking technology with special cone and slide block
- More stable and secure than conventional systems
- No twisting of the pole tools remain firmly secured
- Individual adaptations and special sizes possible



Sleeve „White Star“




Fabric made of high-quality fibres, long-pile.
For fast cleaning of glass and surfaces. Good cleaning power. Easy to wash out at 60°.

With Velcro fastener
Material: mixed fabric*

Length / cm	Art.No.	PU	
15	10003	10	
25	10004	10	
35	10005	10	
45	10006	10	
55	10007	10	

Sleeve „Blue Star“




Blended fabric made of PES & micro fibres, long-pile.
Perfect for large surfaces. High water and dirt absorption. Removes encrusted dirt easily. Easy to wash out at 60°.

With Velcro fastener
Material: mixed fabric**

Length / cm	Art.No.	PU	
15	10011	10	
25	10012	10	
35	10013	10	
45	10014	10	
55	10015	10	

Sleeve „Pad Strip“




Blended fabric made of high-quality fibres, long-pile.
An additional pad area that removes incrustations and heavy dirt easily. Easy to wash out at 60°.

With Velcro fastener
Material: mixed fabric***

Length / cm	Art.No.	PU	
25	10018	10	
35	10019	10	
45	10020	10	

Sleeve „Micro fibre“



Micro fibre sleeve.
High water absorption and strong cleaning power. Perfect for large surfaces. Easy to wash out at 60°.

With Velcro fastener
Material: mixed fabric***

Length / cm	Art.No.	PU	
25	10021	10	
35	10022	10	
45	10023	10	
55	10024	10	

* base material: 100% polyester; fibres: 100% polyacrylic

** base material: 100% polyester; fibres: 65% polyacrylic, 35% polyester

***base material: 100% polyester; fibres: 100% polyester

Sleeve „Power fibre“



Fabric made of high-quality fibres, long-pile.

Perfect for large surfaces. Removes encrusted dirt easily. Easy to wash out at 60°.

With Velcro fastener

Material: mixed fabric***

Length / cm	Art.No.	PU
25	10025	10
35	10026	10
45	10027	10

Plastic T-bar „Bionic“



Efficient water chamber system for high water absorption.

Lies safely in the hand. For comfortable and fatigue-free working. Perfect for telescopic pole use. With small water chambers.

Material: two-component plastic

Length / cm	Art.No.	PU
25	10029	10
35	10030	10
45	10031	10

T-bar „Bionic“



Ergonomically shaped, always provides safe grip.

Lies safely in the hand. For comfortable and fatigue-free working. Perfect for telescopic pole use.

Material: aluminium, two-component plastic

Length / cm	Art.No.	PU
15	10032	10
25	10033	10
35	10034	10
45	10035	10
55	10036	10

T-bar aluminium



Light and stable.

High-quality processing. Reliable during telescopic pole use.

Material: aluminium, plastic

Length / cm	Art.No.	PU
15	10037	10
25	10038	10
35	10039	10
45	10040	10
55	10041	10

T-bar „Bionic“, moveable



Flexible, handle can be individually adjusted by 45 degrees.


Lies safely in the hand. For comfortable and fatigue-free working. Perfect for telescopic pole use.

Material: aluminium, two-component plastic


Length / cm	Art.No.	PU
35	10042	10
45	10043	10

***base material: 100% polyester; fibres: 100% polyester

Complete set „White Star“

	Washer sleeve „White Star“ and aluminium T-bar. With Velcro fastener Material: T-bar: aluminium, plastic Sleeve: mixed fabric*	Length / cm	Art.No.	PU	
		25	10044	10	
		35	10045	10	
		45	10046	10	

Complete set „Blue Star“

	Washer sleeve „Blue Star“ and aluminium T-bar. With Velcro fastener Material: T-bar: aluminium, plastic Sleeve: mixed fabric**	Length / cm	Art.No.	PU	
		25	10047	10	
		35	10048	10	
		45	10049	10	

* base material: 100% polyester; fibres: 100% polyacrylic

** base material: 100% polyester; fibres: 65% polyacrylic, 35% polyester

The LEWI telescopic pole enables safe work without a ladder - directly from the ground

Our "BIONIC" T-bar lies well and safely in the hand





Squeegee „Bionic Duo“



Ergonomically shaped. Squeegee and washer with a professional system. Practical and quick - no need to change. Complete with stainless steel channel and washer sleeve „White Star“. Reliable during telescopic pole use.

Material: two-component plastic, stainless steel, high-quality woven fabric*

Rubber quality (hard) shore hardness 60

Length / cm	Art.No.	PU
25	10500	10
35	10501	10
45	10502	10

Squeegee „Bionic“



Ergonomically shaped. Complete with rubber and stainless steel channel. Easy channel exchange. Lies safely in the hand. For comfortable and fatigue-free working. Perfect for telescopic pole use.

Material: two-component plastic, stainless steel

Rubber quality (hard) shore hardness 60

Length / cm	Art.No.	PU
15	10504	10
25	10505	10
35	10506	10
45	10507	10
55	10508	10

Squeegee „Bionic“



Ergonomically shaped. Complete with rubber and stainless steel channel. Easy channel exchange. Lies safely in the hand. For comfortable and fatigue-free working. Perfect for telescopic pole use.


Material: two-component plastic, stainless steel

Rubber quality (soft) shore hardness 53


Length / cm	Art.No.	PU
15	10509	10
25	10510	10
35	10511	10
45	10512	10
55	10513	10

* base material: 100% polyester; fibres: 100% polyacrylic

Squeegee

	<p>Complete with rubber and stainless steel channel. Solid, durable design. Reliable during telescopic pole use.</p> <p>Material: soft overmoulded rubber, stainless steel</p> <p>Rubber quality (hard) Shore hardness 60</p>	Length / cm	Art.No.	PU	
		15	10514	10	
		25	10515	10	
		35	10516	10	
		45	10517	10	
		55	10518	10	

Squeegee

	<p>Complete with rubber and stainless steel channel. Solid, durable design. Reliable during telescopic pole use.</p> <p>Material: soft overmoulded rubber, stainless steel</p> <p>Rubber quality (soft) Shore hardness 53</p>	Length / cm	Art.No.	PU	
		15	10519	10	
		25	10520	10	
		35	10521	10	
		45	10522	10	
		55	10523	10	



The "BIONIC" squeegees can be easily and safely attached

A „Fixed Connection“ for almost all LEWI products.



Squeegee handle „Bionic“



Ergonomically shaped, always provides safe grip.
Fast and easy channel exchange. Extremely reliable, even with telescopic pole use.
Material: two-component plastic, stainless steel

Art.No.	PU
10534	20

Squeegee handle



Easy handling. Soft grip design.
Proven in practice. Easy channel exchange. Always sits safely in the hand. Reliable during telescopic pole use.
Material: soft overmoulded rubber, stainless steel

Art.No.	PU
10535	20

Squeegee handle XXL



Easy handling. Soft grip design.
1 cm longer as the handle 10535.
Proven in practice. Easy channel exchange. Lies always safely in the hand. Reliable during telescopic pole use.
Material: soft overmoulded rubber stainless steel

Art.No.	PU
10536	15

Squeegee handle „Bionic“, moveable




Ergonomically shaped. Working angle adjustable by 180 degrees.
Proven in daily operation, stable design, very flexible.
Material: two-component plastic

Art.No.	PU
10537	10




V-channel



Professional stainless steel channel with V-cut out.
Channel positions variably adjustable. Sturdy and stable, always in perfect position. Easy replacement of the rubber.
Material: stainless steel
Rubber quality (hard)
Shore hardness 60 ± 2 *

Length / cm	Art.No.	PU
15	11000	25
25	11001	25
35	11002	25
45	11003	25
55	11004	25

V-channel



Professional stainless steel channel with V-cut out.
Channel positions variably adjustable. Sturdy and stable, always in perfect position. Easy replacement of the rubber.
Material: stainless steel
Rubber quality (soft)
Shore hardness 53 ± 2 **

Length / cm	Art.No.	PU
15	11005	25
25	11006	25
35	11007	25
45	11008	25
55	11009	25

Replacement rubber - HARD



Proven professional quality. Specifically shaped and vulcanized. Very reliable and durable. For streak-free cleaning use.
Rubber quality (hard)
Shore hardness 60 ± 2 *

Length / cm	Art.No.	PU
15	11010	10
25	11011	10
35	11013	10
45	11015	10
55	11016	10
92	11017	10
105	11018	10

Replacement rubber - SOFT



Proven professional quality. Specifically shaped and vulcanized. Very reliable and durable. For streak-free cleaning use.
Rubber quality (soft)
Shore hardness 53 ± 2 **

Length / cm	Art.No.	PU
15	11019	10
25	11020	10
35	11022	10
45	11024	10
55	11025	10
92	11026	10
105	11027	10

* Shore-Hardness 60 ± 2 - ideal for smooth surfaces and warmer outside temperatures

** Shore-Hardness 53 ± 2 - ideal for uneven surfaces and colder outside temperatures



Surface scraper „Bionic“



Ergonomic handle, large scraper surface.
Window and surface scraper. Very stable.
Perfect for telescopic pole use.
With safety cap.
(replacement blades Art. No. 11511)
Material: two-component plastic

blade / cm	Art.No.	PU
10	11500	10

Safety scraper



With 4 cm working surface.
Safety scraper with retractable blade.
Handy and very sturdy. Removes paint
residues and stickers easily.
(replacement blades Art. No. 11512/11513)
Material: steel

blade / cm	Art.No.	PU
4	11501	20

Safety scraper



With 4 cm working surface.
Safety scraper with retractable blade.
Handy and very sturdy. Removes paint
residues and stickers easily.
(replacement blades Art. No. 11512/11513)
Material: steel
Rubberised handle

blade / cm	Art.No.	PU
4	11502	15

Safety scraper



Plastic safety scraper
incl. 10 replacement blades
Safety scraper with replaceable
plastic blades. Ideal for cleaning all
smooth surfaces such as windows, ceramic
hobs, etc. The practical aid for removing
stickers.
(replacement blades Art. No. 11523)
Material: plastic

blade / cm	Art.No.	PU
3,8	11522	10

Surface scraper



More power due to the 25 cm handle.
With safety cap for higher safety.
(replacement blades Art. No. 11511)
Material: plastic, aluminium

Length / cm	Art.No.	PU
25	11503	5

Surface scraper



With 120 cm handle for light works.
Allows comfortable working while standing.
With safety cap for higher safety.
(replacement blades: Art. No. 11511)
Material: plastic, aluminium

Length / cm	Art.No.	PU
120	11504	10


Glass scraper



With 10 replacement blades in a case.
Stainless steel blade holder and 10 spare blades in a practical plastic box.
Material: stainless steel

blade / cm	Art.No.	PU
10	11505	10

Glass scraper



Blade holder 10 cm.
(replacement blades: Art. No. 11509/11510)
Material: stainless steel


blade / cm	Art.No.	PU
10	11506	25


Blades





Suitable for glass scraper
(Art. No. 11506)
25 items with dispenser


blade / cm	Art.No.	PU
10	11509	10


Blades		blade / cm	Art.No.	PU	
	Suitable for glass scraper (Art. No. 11505/11506) In 350 item economy pack	10	11510	1	

Blades		blade / cm	Art.No.	PU	
	Suitable for window and floor scrapers (Art. No. 11500/11503) Package with 10 items in dispenser	10	11511	10	

Blades		blade / cm	Art.No.	PU	
	Suitable for safety scraper. (Art. No. 11501/11502) Package with 100 items	4	11512	1	

Blades		blade / cm	Art.No.	PU	
	Suitable for safety scraper. (Art. No. 11501/11502) 5 items in one box	4	11513	10	

Blades		blade / cm	Art.No.	PU	
	Plastic replacement blades Suitable for plastic safety scraper. (Art. No. 11522) 100 pieces in a carton	3,8	11523	1	



Telescopic pole system two-section



High-quality processing and very stable. A specifically adjusted sliding block secures against rotation. For safe working without a ladder, directly from the ground.

Material: aluminium, plastic
With safety cone and clamp protection

Length / cm	Art.No.	PU	
120 (2x60)	12000	10	
250 (2x125)	12001	10	
300 (2x150)	12002	10	
400 (2x200)	12003	10	
500 (2x250)	12004	10	

Telescopic pole system three-section



High-quality processing and very stable. A specifically adjusted sliding block secures against rotation. For safe working without a ladder, directly from the ground.

Material: aluminium, plastic
With safety cone and clamp protection

Length / cm	Art.No.	PU	
300 (3x100)	12006	10	
450 (3x150)	12007	10	
600 (3x200)	12008	10	
750 (3x250)	12009	4	
900 (3x300)	12010	4	

Telescopic pole system four-section





High-quality processing and very stable. A specifically adjusted sliding block secures against rotation. For safe working without a ladder, directly from the ground.


Material: aluminium, plastic
With safety cone and clamp protection


Length / cm	Art.No.	PU	
400 (4x100)	12011	10	
600 (4x150)	12012	10	
800 (4x200)	12013	10	
1000 (4x250)	12014	4	
1200 (4x300)	12015	4	


Orders of 10 assorted items (by UPS) or 4 assorted items (by forwarding agent) possible.


Single pole		Length / cm	Art.No.	PU	
	High-quality processing and very stable. Aluminum pole 60 cm, 120 cm or 140 cm, with handle and cone. Material: aluminium, plastic	60	12017	10	
		120	12018	10	
		140	12153	10	

Telescopic pole „Plus“		Length / cm	Art.No.	PU	
	Two-section. With additional interior locking. High-quality processing and very stable. Material: aluminium, plastic	200 (2x100)	12019	10	
		300 (2x150)	12020	10	
		400 (2x200)	12021	10	

Angle joint		Art.No.	PU	
	For telescopic pole use. Light, freely adjustable joint. Perfect for working on areas that are hard to access. Material: aluminium, plastic	12022	1	

Angle joint, aluminium		Art.No.	PU	
	For telescopic pole use. Sturdy, perfect for cleaning hard-to-reach areas. Angle can be individually adjusted. Material: aluminium	12023	1	

Cone for telescopic pole		Art.No.	PU	
	Allows a quick tool exchange. For attaching or screwing tools on the telescopic pole. Ensures optimum hold. Material: plastic	12024	1	

Special paint cone		Art.No.	PU	
	Suitable for all commercial paint rollers. For safe painting from the ground. With M8 thread. Material: plastic, brass For inserting on telescopic pole	12029	1	

Adapter for water brushes



Fits with all commercial water brushes.
With R 1/4" thread.

Material: brass
For inserting on telescopic poles

Art.No.	PU
12031	1

Adapter for broom



Fits with all commercial brooms.
Durable brass thread.

Material: brass
For inserting on telescopic poles

Art.No.	PU
12030	1

Pipe brush "Bionic"



Ergonomic handle.
For cleaning round surfaces and pipes.
Perfect for telescopic pole use.
Simply attach to the special cone.

Material: two-component plastic, mixed hair with 40 % genuine horse hair (soft) / synthetic (hard)

	Art.No.	PU
soft (brown)	12025	1
hard (blue)	12026	1

Wall brush "Bionic", oval shape



Ergonomic handle.
For cleaning walls and rough surfaces.
Perfect for telescopic pole use.
Simply attach to the special cone.

Material: two-component plastic, mixed hair with 40 % genuine horse hair (soft) / synthetic (hard)

	Art.No.	PU
soft (brown)	12027	1
hard (blue)	12028	1

Joint brush





Bristles hard.
The V-shaped arrangement of the bristles makes it particularly good for cleaning joints.


For screwing onto the LEWI cone of the telescopic and single poles (page 16-17)


Material: plastic, synthetic bristles


Length / cm	Art.No.	PU
25	14526	1


Feather duster "Profi"		Art.No.	PU
	For electrostatic dust removal.	12154	1
	<p>For screwing onto the LEWI cone of the telescopic and single poles (page 16-17)</p> <p>Material: plastic</p>		

Fixi brush		Art.No.	PU
	Cleaning brush made of special fibres. Cleans powerfully and reliably.	12032	1
	<p>Material: wood, special fibre</p> <p>For inserting on telescopic poles</p>		

Fixi clamp		Art.No.	PU
	Aluminium clamp for fastening tools. Fastens cloths and sponges safely.	12033	1
	<p>Material: stainless steel</p> <p>For inserting on telescopic poles</p>		

Branch cutting set		Art.No.	PU
	Pruning saw / pruning shears Professional quality. with pull cord. (Saw blade 30 cm long).	12035	1
	<p>For inserting on telescopic poles</p>		

Gardening saw		Art.No.	PU
	Bent, with draw hook and branch rejector. Professional quality	12036	1
	<p>For efficient tree care. Safe, without ladder use.</p> <p>For inserting on telescopic poles</p>		

Apple picker		Art.No.	PU
	Sturdy and tearproof. For a fast and safe harvest.	12037	1
	<p>For inserting on telescopic poles</p>		



Water fed pole



With commercial hose connection and R 1/4" thread for water brushes.
Professional version. Very stable and durable. Light and safe to handle.
Perfectly leak-proof and non-drip.

Material: aluminium, brass, plastic

Length / cm	Art.No.	PU
150	14500	10
200	14501	10

Water telescopic pole



With commercial hose connection and R 1/4" thread for water brushes.
Proven professional quality. Allows quick and safe working without twisting.
Perfectly leak-proof and non-drip.

Material: aluminium, brass thread, plastic, PE hose
With clip lock

Length / cm	Art.No.	PU
240 (2 x 120)	14502	5
400 (2 x 200)	14503	5
450 (3 x 150)	14543	5
600 (3 x 200)	14504	5
600 (4 x 150)	14519	5
800 (4 x 200)	14505	5
1000 (4 x 250)	14520	4
1200 (4 x 300)	14521	4

Order of 5 assorted items possible

Angle joint, aluminium



Sturdy joint with bushings for water hose.
Angle can be adjusted individually.


Material: aluminium




(You can find the instructions for mounting here, just scan the QR code).

Length / cm	Art.No.	PU
25	14506	1


Water brush universal

	<p>Mixed hair. For sensitive surfaces like motor vehicles and glass. Reliable, durable design. R 1/4" thread. Material: plastic, brass thread, mixed bristles</p>	Length / cm	Art.No.	PU	
		25	14507	1	

Water brush universal


	<p>Synthetic bristles. For floors and terraces. Reliable, durable design. R 1/4" thread. Material: plastic, brass thread, synthetic bristles</p>	Length / cm	Art.No.	PU	
		25	14508	1	

Water brush „Solar“

	<p>Bristles super-soft. Perfect for cleaning sensitive surfaces like solar panel. R 1/4" thread. Material: plastic, brass thread, synthetic bristles (super soft)</p>	Length / cm	Art.No.	PU	
		25	14513	1	



Chamois leather „Media“



Quality with tiger stamp.
Chamois leather.
Tested and proven.
100% natural product.
With operation instructions.

**Material: sheepskin,
100% fish oil tanned
French cut**

Length / cm	Art.No.	PU	
45 x 30 (150)	15000	10	
48 x 33 (175)	15001	10	
52 x 35 (200)	15002	10	
55 x 37 (225)	15003	10	
59 x 38 (250)	15004	10	
62 x 40 (275)	15005	10	
65 x 42 (300)	15006	10	
68 x 43 (325)	15007	10	
70 x 45 (350)	15008	10	
72 x 47 (375)	15009	10	

Chamois leather „Media“



Quality with tiger stamp.
Chamois leather.
Tested and proven.
100% natural product.
With operation instructions.

**Material: sheepskin,
100% fish oil tanned
Full skin**

Length / cm	Art.No.	PU	
74 x 49 (400)	15010	10	
77 x 54 (450)	15011	10	
80 x 60 (500)	15012	10	
82 x 63 (550)	15013	10	
85 x 64 (600)	15014	10	
86 x 69 (650)	15015	10	

Chamois leather „Fina special“



Best quality with lion stamp.
The professional leather.
For highest demands.
100% natural product.
With operation instructions.

**Material: sheepskin,
100% fish oil tanned
Full skin**

Length / cm	Art.No.	PU	
74 x 49 (400)	15016	10	
77 x 54 (450)	15017	10	
80 x 60 (500)	15018	10	
82 x 63 (550)	15019	10	
85 x 64 (600)	15020	10	
86 x 69 (650)	15021	10	

Packaging



Provided with header card/ hanger or packed individually in a poly bag for presentation in merchandise displays or shelves.

Provided with	
hanger	
1 pc in poly bag	



Cleaning set „Solar & winter garden“

Complete basic equipment with stable nylon bag.

Four-section telescopic pole,
T-bar, sleeves „White Star“ & „Blue Star“,
safety scraper, spare blades in package with 5 items,
squeegee 35 cm with channel and rubber, replacement rubber,
joint with adapter element, 2 joint extensions, bag.
12- piece

Length / cm	Art.No.	PU
400 (4x100)	16501	1
600 (4x150)	16502	1
800 (4x200)	16503	1

Cleaning set „Glass“

Complete basic equipment with stable nylon bag.

Three-section telescopic pole 3x100 cm,
squeegee handle, channel of 25, 35, 45 cm each with rubber, replacement
rubber 25, 35 cm soft,
T-bar 35 cm, sleeves „White Star“ & „Blue Star“,
safety scraper, spare blades 5 items package,
joint for telescopic pole,
Box: blade holder & 10 blades, bag.
15- piece

Length / cm	Art.No.	PU
300 (3x100)	16506	1

LEWI window cleaning set



consists of:

Bucket, 13 litres, T-bar aluminium 35cm,
Blue Star Velcro 35 cm, Squeegee „Bionic“
kompl. 35 cm, replacement rubber 35 cm,
Microfibre cloth 40x40 cm.

Art.No.	PU
16507	1

LEWI window cleaning set with extension pole



consists of:

Bucket, 13 litres, T-bar aluminium 35cm,
Blue Star Velcro 35 cm, Squeegee „Bionic“
kompl. 35 cm, replacement rubber 35 cm,
Microfibre cloth 40x40 cm and with
4 part. extension pole- 145 cm.

Art.No.	PU
16508	1

POWER LIQUID

Professional line



Power Gel



Window cleaning gel.
For perfect cleaning results.
The Power Gel is applied directly to the washer.

Quantity	Art.No.	PU
500 ml	12516	18

Power Liquid



Window cleaning fluid.
For best cleaning results.
Mix Power Liquid 1:100 with water.
High cleaning power.

Quantity	Art.No.	PU
1000 ml	12517	12

Gripper



Grabbing without bending.
For comfortable, safe and hygienic waste removal.

Material: plastic, aluminium

Length / cm	Art.No.	PU
40	12502	10
100	12503	10
150	12504	10
200	12505	10

Gripper, metal design



Grabbing without bending.
Very stable. For comfortable, safe and hygienic waste removal.
Rubber coating on the gripper arm for better grip.

Material: aluminium, stainless steel

Length / cm	Art.No.	PU
100	12515	10



Belt



Belt suitable for quiver.

Material: nylon
With click fastener

Art.No.	PU
13000	5

Quiver



For squeegees and washers.
Suitable for channels up to 45 cm.
Perfect for working on the ladder
or in narrow rooms.

Material: plastic
With Velcro fastener

Art.No.	PU
13003	5

Apron



With 3 large pockets.
Stable and very robust, Belt is size-
adjustable and can be easily removed.
Material: canvas, Nylon

Art.No.	PU
13004	1



Bucket, 22 litres



Suitable for 45 cm washer and squeegee.

Material: plastic
With mounting hook

	Art.No.	PU	
22 l	13500	6	
Lid	13501	1	

Sieve



Suitable for 22 litre bucket.

Material: stainless steel

	Art.No.	PU	
	13502	1	

Castors



Suitable for 22 litre bucket.

Material: stainless steel

	Art.No.	PU	
4 pcs.	13503	1	

Bucket, 13 litres



Suitable for 35 cm washer and squeegee.
Bucket for glass cleaning. Handy and light.

Material: plastic
With mounting hook

	Art.No.	PU	
13 l	13504	10	

Waxer system complete



With 140 cm pole and sleeve.
Waxes floors quickly and easily.

Material: aluminium, plastic, mixed fabric*

Length / cm	Art.No.	PU	
140	13506	10	

Replacement sleeve and holder



Replacement sleeve for waxing device.
With Velcro

Length / cm	Art.No.	PU	
40	13505	10	



Replacement holder for waxing device
with replacement sleeve.
Sleeve with Velcro


40	13507	1	
40	13508	1	



Replacement holder for waxing device.

Material: aluminum, plastic, mixed fabric*

* base material: 100 % polyester; fibres: 100 % polyacrylic



Water squeegee



Version for lighter work.
Dries floors streak-free, cleans joints.
(suitable for alu handle art. no. 14012)
Foam rubber
22 mm intake

Length / cm	Art.No.	PU
45	14000	10
55	14001	10

Water squeegee re-inforced



Version for harder work.
Dries floors streak-free, cleans joints.
(suitable for alu handle art. no. 14012)
Foam rubber
22 mm intake

Length / cm	Art.No.	PU
45	14002	10
55	14003	10
75	14004	10

Water squeegee oil resistant



Re-inforced, oil resistant version for harder work.
Dries floors streak-free, cleans joints.
(suitable for alu handle art. no. 14012)
Foam rubber
22 mm intake

Length / cm	Art.No.	PU
55	14005	10


Water squeegee




Version for the hygiene sector.
Dries floors streak-free, cleans joints.
(suitable for alu handle art. no. 14010)
Plastic with foam rubber
23 mm intake

Length / cm	Art.No.	PU
45	14006	10
55	14007	10


Tile squeegee

	Version for tile cleaning. Cleans tiles and joints. Foam rubber	Length / cm	Art.No.	PU	
		35	14008	10	


Shower cubicle squeegee

	For walls made of glass, acrylic, tiles, etc. TPR rubber lip does not stain. Plastic	Länge / cm	Art.Nr.	VE	
		23,5	14014	10	


Telescopic mop handle

	2 x 80 cm with adapter cap Ø 23.5 mm. Two-section telescopic pole. High-quality processing, very stable. Material: plastic, aluminium	Length / cm	Art.No.	PU	
		160	14009	10	


Alu handle with broom thread

	140 cm, with broom thread. High-quality processing, very stable. Material: plastic, aluminium Ø 23 mm	Length / cm	Art.No.	PU	
		140	14010	25	

Mop handle for mop holder


	140 cm, for mop holder High-quality processing, very stable. Material: plastic, aluminium Ø 23 mm	Length / cm	Art.No.	PU	
		140	14011	25	

Alu handle for Water squeegee


	140 cm, for water squeegee. High-quality processing, very stable. Material: plastic, aluminium Ø 22 mm	Length / cm	Art.No.	PU	
		140	14012	50	




Microfibre cloth for glass

	<p>Maximum absorption power. High-quality material, durable. 300 g/m²</p>	Length / cm	Art.No.	PU	
		60 x 80	15501	10	
		40 x 40	15502	10	


Microfibre cloth

	<p>Washable at up to 60°C. For drying and polishing damp pre-treated surfaces. 250 g/m² 40 x 40 cm</p>	Art.No.	PU	
		blue	15504	10

Universal sponge

	<p>Neutrally packaged.</p>	Size / mm	Art.No.	PU	
		180 x 200 x 60	15508	10	

Hand pads



Thick fleece.
Fleece with high cleaning power.
250 x 120 x 20 mm

	Art.No.	PU	
white	15509	25	
green	15510	25	
black	15511	25	

Pad holder



With handle.

Length / cm	Art.No.	PU	
24 x 10	15512	10	

Pad holder



With moveable joint.
Fits on mop handle 14011.

Length / cm	Art.No.	PU	
23 x 10	15513	10	



Product overview

1. Washers & T-bars

LEWI washers meet the highest professional demands.

They fit comfortably and safely into the hand, ensuring the right grip even in wet conditions.

2. Squeegees & Rubber

LEWI window wipers allow rapid and streak-free working – even on complicated objects. LEWI wiper rubbers impress with their first-class quality and durability.

LEWI wiper bars can be exchanged and adjusted easily. They are made of high-quality stainless steel.

Wiper rubber (hard): perfect for smooth surfaces and warmer outdoor temperatures (Shore-hardness = 60 ± 2).

Wiper rubber (soft): perfect for uneven surfaces and colder outdoor temperatures (Shore-hardness = 53 ± 2).

3. Glass scrapers & Blades

Stubborn dirt, paint residues or stickers can be easily removed with LEWI glass scrapers. They fit perfectly into the hand and can be operated quickly and easily.

The easy exchange of the blades and the protective mechanisms ensure the necessary safety at work.

4. Telescopic poles

Perfect for all tasks carried out from a distance, at height or overhead work. The LEWI telescope pole system enables safe and fast working without ladder directly from the ground. It consists of high-quality professional telescope poles and a large number of complementary tools + components. These can be clipped on easily and safely. The sophisticated Lehmann connection system with special cone ensures a fixed connection at any time.

A specifically fitted slide block prevents the poles from twisting sideways. Available lengths: up to 12 metres. Special sizes on request.


Order, packaging and shipment:

- PU 10: Order of 10 assorted items possible
- PU 4: Order of 4 assorted items possible
- Packaging costs are charged in case of orders, which are smaller than our packaging units (PU)
- Shipment by forwarding agent (Art.No. 12009, 12010, 12014, 12015, 14520, 14521)

5. Water fed poles & Water brushes

LEWI water fed poles and water brushes – for thorough cleaning of house walls, winter gardens, solar modules or vehicles. Very robust and extremely durable.

All poles are equipped with R 1/4" threads for accommodating washing brushes and brass adapters for standard hose connections.



6. Chamois Leather

LEWI chamois leather for clean windows and surfaces, without streaks and stains. A pure natural product - environmentally friendly, tolerated by the skin, absorbent, easy to clean and antistatic.

7. Cleaning sets

Perfect basic equipment for professional cleaning of glass and smooth surfaces:

LEWI set „Glass & window cleaning“
LEWI set „Winter garden & Solar cleaning“

8. Accessories

LEWI accessories have been tried and tested in tough professional use. It helps to make daily cleaning tasks even easier.

9. Belts & Quivers

With the quiver or the apron, you have the most important items always at hand and, thus, will be able to work quickly. High-quality materials ensure a long durability.

10. Buckets & Waxers

LEWI buckets are functional and perfectly prepared for professional cleaning use.

The rectangular bucket with a capacity of 22 litres allows a complete immersion of up to 45 cm wide cleaning tools.

11. Water squeegees & Mop handles

Whether for easier cleaning jobs or industrial use LEWI water squeegees are specialists for perfect floor cleaning. Depending on the job requirements, water squeegees can be supplied with reinforced pole holders or in different foam rubber qualities.

12. LEWI Cloths & Pad sponges




















The practical helper for perfect glass cleaning and care. For an easy removal of major or minor dirt.

Tried and tested cleaning system for professionals – versatile, cost effective and safe.

For 20 years, QLEEN systems have been used successfully all over the world. QLEEN’s easy-connect system modules offer perfect solutions for cleaning glass, building facades, solar systems, vehicles and any number of applications. QLEEN systems are developed on the basis of extensive practical experience, and are manufactured with great precision, offering unbeatable quality and reliability. systems is always smooth and relaxed.

Better than clean: QLEEN.

Working with QLEEN is far more efficient than using traditional cleaning processes, because large areas can be cleaned in a significantly more productive and cost-effective manner. Use QLEEN for effortless, safe and reliable cleaning up to a working height of 21 meters, without leaving the ground. No more hire charges and assembly time for scaffolding or work platforms, saving you both time and money. Even delicate surfaces or inaccessible nooks and crannies can be cleaned in a convenient, thorough and careful manner. Thanks to their advanced and ergonomic components, working with QLEEN systems is always smooth and relaxed.





























			
	PURASTART Mini & Maxi	PURASTART	PURASTART E
Operational area	Home	Semi-Professional	Semi-Professional
Filter system	Mixed bed resin	Mixed bed resin	Mixed bed resin
Suitable for cleaning	  Glass/Lamella Solar	  Glass/Lamella Solar	  Glass/Lamella Solar
Cleaning capacity per hour	Up to 50 m ²	Up to 100 m ²	Up to 250 m ²
Water supply	 Water	 Water	  Water Tank
Power supply	×	×	 Rechargeable battery
Cleaning modes	 Purewater	 Purewater	 Purewater
Connection for rotating brush ROTAQLEEN	×	×	
Remote control for up to 50 m	×	×	
Hose	12,5 m robust flexible hose	25 m robust flexible hose	25 m hose


* Depending on equipment variant.

Cleaning with the power of pure water.

All QLEEN systems use our tried and trusted PURAQLEEN water treatment technology, which removes all impurities from normal tap water, transforming it into potent, mineral-free, „pure“ water. Because of its ability to combine directly with dirt particles on the surface to be cleaned, „pure“ water cleans rapidly and thoroughly, and runs off immediately.

Surfaces cleaned with QLEEN dry themselves, with no stains or stripes. Cleaning with „pure“ water is ecologically safe, because it can even be done without the use of cleaning additives.

			
RO - Osmoseanlage	DISY	PROFI I	Q-Station
Semi-Professional	Professional	Professional	
Reverse osmosis membrane	Mixed bed resin	Mixed bed resin	
 	  	  	
Glass/Lamella Solar	Glass/Lamella Solar Facade	Glass/Lamella Solar Facade	
Up to 250 m²	Up to 250 m²	Up to 250 m²	
	 	 	
Water	Water Tank*	Water Tank	
		 	
Mains connection	Mains connection*	Rechargeable battery Mains connection*	
	  	  	
Purewater	Water Purewater Detergents*	Water Purewater Detergents	
	 *		
25 m hose	50 m single or 50 m DUO-hose *	50 m DUO-hose	







Water supply via the Gardena connection


Carrying handle for transport



12.5 l (Mini) or 25 l (Maxi) mixed bed resin bottle for 100 percent conversion of tap water into PUREWATER

Integrated measuring device for pure water quality




QLEEN PURASTART					
Mini		Maxi		Mini Complete Set	
For cleaning of small to medium areas with sustainable Purewater. Carrying handle with integrated meter for Purewater quality. Water supply via the domestic water connection.					
					
Delivery contents: <ul style="list-style-type: none"> QLEEN PURASTART Mini with 12,5 l mixed bed resin 		Delivery contents: <ul style="list-style-type: none"> QLEEN PURASTART Maxi with 25 l mixed bed resin 		Complete Set bestehend aus: <ul style="list-style-type: none"> QLEEN PURASTART Mini base station (17041) Telescopic HYBRIDPOLE NoTwist extendable to 450 cm (70551) Hose-set (72643) Angle brush glass (71041) Alu-Crank (72649) 	
Weight:	15 kg	Weight:	21 kg	Weight:	17,0 kg
Dimension:	21 x 21 x 58 cm (L x W x H)	Dimension:	21 x 21 x 113 cm (L x W x H)		
Article number 17041		Article number 17049		Article number 70044	



QLEEN PURASTART	
Base station	Complete Set
For cleaning of small to medium-sized areas with sustainable PUREWATER. Modern manoeuvrable plastic trolley with 25 m flexible hose. Integrated measuring device for purewater quality. Water supply via the domestic water connection.	
	
Delivery contents: <ul style="list-style-type: none"> QLEEN PURASTART Base station 	Complete Set mit allem Zubehör bestehend aus: <ul style="list-style-type: none"> QLEEN PURASTART base station (17042) Telescopic CARBONPOLE NoTwist extendable to 9,2 m (70542) Vario brush bow (71038) 40 cm window brush (71001)
Weight: 45 kg Dimension: 53 x 53 x 110 cm (L x W x H)	Weight: 50 kg Dimension: 53 x 53 x 110 cm (L x W x H)
Article number 17042	Article number 70043

* Accessories are not included in the delivery contents.




25 l mixed bed resin bottle for 100 percent conversion of tap water into PUREWATER


Water connection via claw coupling, Gardena or supplied suction hose

Manoeuvrable and stable trolley with large wheels for any surface

Compact pump for uniform output pressure at the brush and for suction from a tank or drum



Remote control for controlling the pump and ROTAQLEEN* at a distance of up to 50 m



Charger included
Fast charging in maximum 5 hours



Integrated measuring device for Purewater quality

Powerful Li-Ion battery with 360 Wh, for use up to:

- 8 hours with ROTAQLEEN Classic
- 4 hours with ROTAQLEEN Vario



25 m flexible hose with stopcock





User guide

Spare parts

* Accessories are not included in the delivery contents.

QLEEN PURASTART E*			
Base station		Complete Set	
<p>For cleaning of small to medium-sized areas with sustainable Purewater. Modern, maneuverable plastic trolley with 25 m hose. Integrated measuring device for Purewater quality. With powerful pump for suction operation from the tank or house water connection. Connection for all current ROTAQLEEN and forward/reverse flow via remote control.</p>			
			
<p>Delivery contents:</p> <ul style="list-style-type: none"> • QLEEN PURASTART E with battery • Remote control • Charger 		<p>Complete Set mit allem Zubehör bestehend aus:</p> <ul style="list-style-type: none"> • QLEEN PURASTART E base station (72101) • Telescopic CARBONPOLE NoTwist extendable to 9,2 m (70542) • Vario brush bow (71037) • 40 cm window brush (71001) 	
<p>Weight: 50 kg Dimension: 53 x 53 x 110 cm (L x W x H)</p>		<p>Weight: 55 kg</p>	
<p>Article number 72101</p>		<p>Article number 70063</p>	

Q-Power battery for PURASTART*	
	<p>Powerful 360 Wh Li-Ion battery for connecting a ROTAQLEEN. As a replacement battery for the QLEEN PURASTART E or for retrofitting for the current QLEEN PURASTART. With remote forward/reverse for the ROTAQLEEN.</p> <p>Delivery contents:</p> <ul style="list-style-type: none"> • Q-Power battery • Remote • Charger for 100-240 V
<p>Weight: 2,5 kg Output voltage: 25,4 V Power: 360 Wh</p>	<p>Article number 72104</p>

Charger	
	<p>Charger for the Q-Power battery. Charging time maximum 5h.</p> <p>Delivery contents:</p> <ul style="list-style-type: none"> • Charger for 100-240 V
<p>Weight: 0,6 kg Output voltage: 100-240 V Power: 3 A</p>	<p>Article number 72108</p>

* The battery comes with a limited warranty of 6 months.




25 l mixed bed resin bottle for 100 percent conversion of tap water into PUREWATER

Small wheels for horizontal storage in the car


50 m single or DUO hose* on removable hose reel

Water connection via claw coupling, Gardena or supplied suction hose*



Powerful pump* for uniform Output pressure at the brush of 2.5 bar and for suction from a tank or drum

Adjustable dosing pump* for admixing cleaning agents for heavily soiled substrates



Video User guide Spare parts


*Depending on the equipment variant. Picture shows DISY Elektro DUO. Accessories are not included in the delivery contents

QLEEN DISY			
Single-hose		DUO-hose	
For regular and professional cleaning of medium to large areas with sustainable Purewater. For the tap water connection.			
			
Pure water/water operation with 50 m single hose on hose reel.		Pure water/water and cleaning agent operation through the injector with 50 m DUO hose on hose reel.	
Delivery contents: <ul style="list-style-type: none"> • QLEEN DISY base station with single hose 		Delivery contents: <ul style="list-style-type: none"> • QLEEN DISY base station with DUO hose and injector 	
Weight: 72 kg Dimension: 66 x 66 x 110 cm (L x W x H)		Weight: 80 kg Dimension: 66 x 66 x 110 cm (L x W x H)	
Article number 70051		Article number 70052	

QLEEN DISY Elektro					
Single-hose		DUO-hose		Complete Set	
For regular and professional cleaning of medium to large areas with sustainable Purewater. With powerful pump for suction operation from the tank or domestic water connection, Connection for ROTAQLEEN and remote control for switching off the water and controlling the ROTAQLEEN.					
					
Clean water/water operation with 50 m Single hose on hose reel.		Clean water/water and detergent operation using the adjustable dosing pump with 50 m DUO hose on hose reel.		Complete set consisting of: <ul style="list-style-type: none"> • QLEEN DISY electric DUO hose base station (70054) • Pole set for a working height of up to 14.5 m: <ul style="list-style-type: none"> • 5 CARBONPOLE (70500) • 3 TITANPOLE (70501) • 1 half TITANPOLE (70502) • 1 Handle (72571) • 1 Adapter brush bow (72516) • Vario brush bow (71037) • 40 cm window brush (71001) 	
Delivery contents: <ul style="list-style-type: none"> • QLEEN DISY Elektro base station with single hose 		Delivery contents: <ul style="list-style-type: none"> • QLEEN DISY Elektro base station with DUO hose and dosing pump 		Weight: 87,0 kg	
Weight: 80 kg Dimension: 66 x 66 x 110 cm (L x W x H)		Weight: 80 kg Dimension: 66 x 66 x 110 cm (L x W x H)			
Article number 70053		Article number 70054		Article number 70040	

QLEEN PROFI I					
Single-hose		DUO-hose		Complete Set	
<p>For regular and professional cleaning of medium to large areas with sustainable Purewater. With powerful pump for suction operation from the tank or house water connection. Independent of the power supply thanks to built-in powerful rechargeable batteries and integrated charger. Connection for ROTAQLEEN and remote control for switching off the water and controlling the ROTAQLEEN.</p>					
					
<p>Clean water/water operation with 50 m Single hose on hose reel.</p> <p>Delivery contents:</p> <ul style="list-style-type: none"> QLEEN PROFI I base station with 50 m single hose <p>Weight: 135 kg Dimension: 112 x 54 x 112 cm (L x W x H)</p>		<p>Clean water/water and detergent operation using the adjustable dosing pump with 50 m DUO hose on hose reel.</p> <p>Delivery contents:</p> <ul style="list-style-type: none"> QLEEN PROFI I base station with 50 m DUO hose and dosing pump <p>Weight: 135 kg Dimension: 112 x 54 x 112 cm (L x W x H)</p>		<p>Complete set consisting of:</p> <ul style="list-style-type: none"> QLEEN PROFI I DUO-hose (70013) Pole set for a working height of up to 14.5 m: <ul style="list-style-type: none"> 5 CARBONPOLE (70500) 3 TITANPOLE (70501) 1 half TITANPOLE (70502) 1 handle (72571) 1 Adapter brush bow (72516) 1 transport bag 72508) Vario brush bow (71037) 40 cm window brush (71001) <p>Weight: 147,0 kg</p>	
<p>Article number</p> <p>70049</p>		<p>Article number</p> <p>70013</p>		<p>Article number</p> <p>70042</p>	

Supplementary bottle	
	<p>Supplementary bottle for the existing bottle holder on the PROFI I & II. Up to 50 % more efficient utilization of the mixed bed resin by using the used bottle beyond 50 µS as a pre-filter for the new bottle.</p> <p>Delivery contents:</p> <ul style="list-style-type: none"> Supplementary bottle, granulate, bottle head including mounting accessories <p>Weight: 30,0 kg</p> <p>Article number</p> <p>72642</p>

External power supply PROFI I	
	<p>Power supply for substructure on the PROFI I. For operation on mains voltage without battery.</p> <p>Delivery contents:</p> <ul style="list-style-type: none"> Power supply including connections <p>Weight: 5,0 kg</p> <p>Article number</p> <p>72653</p>

* Accessories are not included in the delivery contents.

25 l mixed bed resin bottle for 100 percent conversion of tap water into Purewater
Expandable with second bottle for doubling total Purewater production*.

Powerful pump* for uniform Output pressure at the brush of 2.5 bar and for suction from a tank or drum

Measuring device for the water quality alarm and shutdown when the mixed bed resin is used up. Simple and uniform control and signaling of the operating mode

Connection for the power supply* (72653) for permanent operation on the mains supply



With integrated ROTAQLEEN* connection for all current rotating brushes

Control valve for the black hose to adjust the total flow rate

50 m DUO hose on hose reel

Water connection via claw coupling, Gardena or supplied suction hose

Powerful batteries for up to 8 hours of continuous work with ROTAQLEEN*
Charger included
Charging time maximum 12h

Adjustable dosing pump for admixing cleaning agents for heavily soiled substrates

Remote control* for controlling both water channels and ROTAQLEEN* up to 50 m away (In all electric variants)



Video

User guide

Spare parts



** The battery comes with a limited warranty of 6 months.

50 m DUO hose on hose reel

Connection for the power supply* (72653) for permanent operation on the mains supply

Powerful pump* for uniform Output pressure at the brush of 2.5 bar and for suction from a tank or drum

Adjustable dosing pump for admixing cleaning agents for heavily soiled substrates

Measuring device for the water quality alarm and shutdown when the mixed bed resin is used up. Simple and uniform control and signaling of the operating mode

25 l granulate bottle for 100 percent conversion of tap water into PUREWATER

With integrated ROTAQLEEN* connection for all current rotating brushes

Control valve for the black hose to adjust the total flow rate

Water connection via claw coupling, Gardena or supplied suction hose


Remote control* for controlling both water channels and ROTAQLEEN* up to 50 m away (In all electric variants)

Remote control* for controlling both water channels and ROTAQLEEN* up to 50 m away (In all electric variants)


User guide Spare parts




* Accessories are not included in the delivery contents.

Q-Station			
Single-hose		DUO-hose	
<p>For regular and professional cleaning of medium to large areas with sustainable Purewater. With powerful pump for suction operation from the tank or house water connection. Independent of the power supply thanks to built-in powerful rechargeable batteries and integrated charger. Connection for ROTAQLEEN and remote control for switching off the water and controlling the ROTAQLEEN.</p>			
			
<p>Purewater/tap water operation with 50 m Single hose on hose reel.</p> <p>Delivery contents:</p> <ul style="list-style-type: none"> Q-Station with 50 m single hose <p>Weight: 100 kg Dimension: 73 x 36 x 103 cm (L x W x H)</p>		<p>Purewater/tap water and detergent operation using the adjustable dosing pump with 50 m DUO hose on hose reel.</p> <p>Delivery contents:</p> <ul style="list-style-type: none"> Q-Station with 50 m DUO hose and dosing pump <p>Weight: 100 kg Dimension: 73 x 36 x 103 cm (L x W x H)</p>	
<p>Article number</p> <p>70055</p>		<p>Article number</p> <p>72669</p>	

Tank			
250 l		500/1000 l	
<p>Lightweight, stable plastic tank for installation in cars or high-roof vans. With integrated surge protection to prevent strong water movement while driving. Integrated beading on the tank to secure it in the vehicle.</p>			
			
<p>Flat version with 250 l capacity.</p> <p>Delivery contents:</p> <ul style="list-style-type: none"> Tank 250 l with connections <p>Weight: 22 kg Dimension: 83 x 110 x 37 cm (L x W x H)</p>		<p>Upright version with 500 l capacity, expandable with 2nd tank to 1000 l.</p> <p>Delivery contents:</p> <ul style="list-style-type: none"> Tank 500 l with connections <p>Weight: 34 kg Dimension: 82 x 100 x 96 cm (L x W x H)</p>	
<p>Article number</p> <p>72681</p>		<p>Article number</p> <p>72680</p>	

External power supply PROFI I	
	<p>Power supply for substructure on the PROFI I. For operation on mains voltage without battery.</p> <p>Delivery contents:</p> <ul style="list-style-type: none"> Power supply including connections <p>Weight: 5,0 kg</p>
<p>Article number</p> <p>72653</p>	

** The battery comes with a limited warranty of 6 months.

The alternative to mixed bed resin with reverse osmosis membrane for long running times. Particularly suitable for tap water with a very high degree of hardness.

25 m single hose with electronic overpressure cut-off in case of kinked hose

Integrated electronic dry-running protection and built-in water meter

Integrated measuring device for the water quality of the outlet water


With one or two membranes with up to 300 l/h and a running time of 24 months

With integrated ROTAQLEEN connection for all current rotating brushes



Pre-filter for suspended particles and sediment
Replacement after latest 3 months at the latest!


Maneuverable and stable trolley with large wheels for any surface


Remote control for controlling the pump and ROTAQLEEN* at a distance of up to 50 m (70057 & 70058 only)




* Accessories are not included in the delivery contents.

QLEEN RO - Osmosis system			
One membrane		Two membrane	
For regular and professional cleaning of medium to large areas with sustainable Purewater. With water timer, electronic dry-running protection and overpressure protection for the pump. Connection for ROTAQLEEN and remote control for the pump and control of the ROTAQLEEN.			
			
Up to 150 liters of Purewater per hour through 25 m of hose Delivery contents: <ul style="list-style-type: none"> QLEEN RO with one membrane Weight: 44 kg Dimension: 53 x 53 x 100 cm (L x W x H)		Up to 300 liters of Purewater per hour through 25 m of hose. Delivery contents: <ul style="list-style-type: none"> QLEEN RO with two membranes Weight: 50 kg Dimension: 53 x 53 x 100 cm (L x W x H)	
Article number 70057		Article number 70058	

QLEEN RO-Osmosis system without ROTAQLEEN control unit	
	Simple RO system without ROTAQLEEN control unit for filling and cleaning applications. Up to 150 liters of Purewater per hour through 25 m hose. Delivery contents: <ul style="list-style-type: none"> QLEEN RO with one membrane Weight: 40 kg Dimension: 53 x 53 x 100 cm (L x W x H)
Article number 70062	

Sediment and carbon filter for RO osmosis system	
	Sediment and carbon filter for filtering sediments and chlorine in the inlet water. For all osmosis systems. This must be replaced after 3 months at the latest. Delivery contents: <ul style="list-style-type: none"> Sediment and carbon filter Weight: 0,1 kg Dimension: 25 x 6 x 6 cm (L x W x H)
Article number 92039	

Membrane for RO osmosis system	
	Replacement membrane with a service life of up to 24 months. For all osmosis systems Delivery contents: <ul style="list-style-type: none"> Membrane Weight: 2,2 kg Dimension: 62 x 11 x 11 cm (L x W x H)
Article number 92041	

For unimagined flights of fancy.

Our wide range of poles extends from lightweight telescopic poles to flexible and lightweight segment poles with innovative and fast bayonet locks for easy assembly and disassembly of the segments.

We use super-light and at the same time highly stable carbon for our poles. As a cost-effective alternative, we use a special aluminum alloy.

4,50 m

6,00 m

7,60 m

9,20 m

12,60 m

22,02 m

Teleskop HYBRIDPOLE 4,50 m - Art.no. 70551

Pole material: Glass fibre, carbon
 Retracted length: 1,73 m
 Stability: ●●●○○
 Lightness: ●●●○○



Teleskop HYBRIDPOLE 6,00 m - Art.no. 70540

Pole material: Glass fibre, carbon
 Retracted length: 1,77 m
 Stability: ●●●○○
 Lightness: ●●●○○



Teleskop HYBRIDPOLE 7,60 m - Art.no. 70541

Pole material: Glass fibre, carbon
 Retracted length: 1,83 m
 Stability: ●●●○○
 Lightness: ●●●○○



Teleskop CARBONPOLE 9,20 m - Art.no. 70542

Pole material: Carbon
 Retracted length: 1,88 m
 Stability: ●●●●○
 Lightness: ●●●●○



Teleskop CARBONPOLE 12,6 m - Art.no. 70543

Pole material: Carbon
 Retracted length: 1,99 m
 Stability: ●●●●○
 Lightness: ●●●●○



TITANPOLE - Art.no. 70501

Pole material: Special aluminium alloy
 Segment length: 1,63 m
 Maximum length: 12,24 m (7 segments + 1 half segment)
 Stability: ●●●○○
 Lightness: ●●○○○



CARBONPOLE - Art.no. 70500

Pole material: Carbon
 Segment length: 1,63 m
 Maximum length: 22,02 m (13 segments + 1 half segment)
 Stability: ●●●●○
 Lightness: ●●●●○



Segment poles with bayonet lock



Pole element with innovative bayonet lock for quick and easy assembly and disassembly. Made from a special aluminum alloy or carbon. All-rounder - quick and easy to combine with all QLEEN brushes and ROTAQLEEN.

Attention: The adapter brush bow (72516) is required!

Delivery contents: Titanpole in 1,63 m, 0,83 m or Carbonpole in 1,63 m

Number	Length	Weight in kg	Diameter handle in mm	Maximum segments	Material	Article number
1.	0,83	0,47	42	-	Aluminium	70502
2.	1,63	0,85	42	7	Aluminium	70501
3.	1,63	0,59	42	13	Carbon	70500

Adapter Brush bow



For QLEEN poles with bayonet lock G4. Ensures a firm and secure connection between QLEEN brush bend and QLEEN poles.

Delivery contents:

- Adapter, suitable for QLEEN poles (Ø 42 and 50 mm) with bayonet catch G4

Weight: 0,1 kg
Material: Aluminium anodised

Article number

72516

Handle



Suitable for CARBON- and TITANPOLE G4

Delivery contents:

- Handle with wing screw, bayonet lock G4

Weight: 0,1 kg
Material: Aluminium anodised

Article number

72571

Solar glide shoe



Tailor-made for solar cleaning, protects sensitive module surfaces during cleaning. Velcro fasteners guarantee a secure connection with the QLEEN Poles.

Delivery contents:

- Solar glide shoe

Weight: 0,25 kg
Bristle thickness and length: 0,4 mm, 30 mm
Material: PE, PBT,rot

Article number

72040

Bag for poles



For safe storage and transportation. Bag for 14 QLEEN poles and one half pole

Delivery contents:


- Bag for QLEEN Poles (without poles)

Weight: 0,8 kg
Material: PE

Article number

72508

Thanks to the new NoTwist technology, the individual segments can no longer twist, so the brush head remains stable on the cleaning surface without twisting away. The hose can be routed both inside and outside.



Replaceable brush adapter for all QLEEN and/or LEWI products
Feed-through for the internal hose.

Innovative clamping lever with large adjusting screw for quick readjustment of the rod clamping.

Integrated clamping protection for hose clips for hose and protection against injury.

"NoTwist" prevents the twisting of all elements. This enables more controlled and direct work at all heights.

Sturdy support foot with feed-through and kink protection for the internal hose

With internal hose and connector for all QLEEN machines*

NoTwist telescope HYBRIDPOLE



Telescopic pole made of fibreglass/carbon. The cost-effective and stable telescopic pole with internal hose. Ideal for longer work assignments, can be combined with all QLEEN brushes, pads, slats and ROTAQLEEN.

Delivery contents:

- Telescopic pole 4.5 m, 6.0 m or 7.6 m with internal hose, hose clips, adapter for QLEEN brushes

Length extended in m	Length retracted in m	Weight in kg	Diameter Handle in mm	Segments	Article number
4,50	1,73	1,3	30	3	70551
6,00	1,77	1,8	34	4	70540
7,60	1,83	2,4	38	5	70541

NoTwist Teleskop CARBONPOLE



Telescopic pole made of carbon. Sturdy and lightweight poles for professional use with internal hose. Ideal for longer work sessions, can be combined with all QLEEN brushes, pads, slats and ROTAQLEEN.

Delivery contents:

- Telescopic pole 9.2 or 12.6 m with internal hose, hose clips and adapter for QLEEN brushes)

Length extended in m	Length retracted in m	Weight in kg	Diameter Handle in mm	Segments	Article number
9,20	1,88	2,8	42	6	70542
12,60	1,99	4,1	50	8	70543

Brush adapter



Brush adapter for the telescopic poles for all QLEEN products or LEWI products.

Delivery contents:

- QLEEN adapter

Weight: 0,1 kg
Material: Aluminium anodised

Article number
72689

Clips





Clips for attaching the hose or cable for the ROTAQLEEN to the telescopic pole.

Delivery contents:

- Clip set 1-7

Weight: 0,01 kg
Material: PE




Article number
70533






New optimized brush body for improved running smoothness and suitable for all 40 and 60 mm brushes (All models from 2025)



Video	User guide	Spare parts

ROTAQLEEN Classic

Glass			Solar			Facade		
Der rotierende Klassiker für alle Oberflächen und Bebauungen. Bürstenbreite in 40 oder 60 cm. Der Antrieb erfolgt über zwei leistungsstarke Motoren, die im Bürstenkopf sitzen. Inklusive 20 m Anschlusskabel.								
								
Ideal for cleaning corners, niches and window frames.			Ideal for cleaning small and medium-sized solar fields.			Ideal for cleaning corners, angles and façade niches.		
Delivery contents: <ul style="list-style-type: none"> • ROTAQLEEN Classic with white brush (soft) • 20 m connection cable 			Delivery contents: <ul style="list-style-type: none"> • ROTAQLEEN Classic with red brush (medium hardness) • 20 m connection cable 			Delivery contents: <ul style="list-style-type: none"> • ROTAQLEEN Classic mit with blue brush (hard) • 20 m connection cable 		
Weight 40 / 60: 2,2 / 2,8 kg Speed: 180 rpm			Weight 40 / 60: 2,2 / 2,8 kg Speed: 180 rpm			Weight 40 / 60: 2,2 / 2,8 kg Speed: 180 rpm		
Width	Art.no.		Width	Art.no.		Width	Art.no.	
40 cm	72000		40 cm	72004		40 cm	72002	
60 cm	72001		60 cm	72005		60 cm	72003	

ROTAQLEEN Classic brush

Glass			Solar			Facade		
								
The soft and hard-wearing brushes are ideal for glass cleaning. With indicator bristles for wear.			The medium-hard and hard-wearing brushes are ideal for solar cleaning. With indicator bristles for wear.			The hard and durable brushes are ideal for cleaning façades. With indicator bristles for wear.		
Delivery contents: <ul style="list-style-type: none"> • Glass brush heads (right and left) 			Delivery contents: <ul style="list-style-type: none"> • Solar brush heads (right and left) 			Delivery contents: <ul style="list-style-type: none"> • Facade brush heads (right and left) 		
Bristle thickness: 0,3 mm Bristle length: 30 mm Material: PE, PBT, white			Bristle thickness: 0,4 mm Bristle length: 30 mm Material: PE, PBT, rot			Bristle thickness: 0,5 mm Bristle length: 30 mm Material: PE, PBT, blau		
Width	Art.no.		Width	Art.no.		Width	Art.no.	
40 cm	72006		40 cm	72010		40 cm	72008	
60 cm	72012		60 cm	72016		60 cm	72014	



New 100 cm model for even more cleaning area in one go. With improved and more stable Vario joint and special brush to compensate for unevenness in the panel.

Video



User guide






Spare parts






* Depending on the variant. Picture shows ROTAQLEEN Vario 50 Solar.

ROTAQLEEN Vario

Glass			Solar			Facade		
Rotating cleaning power for large areas. Brush width in 50 cm or 75 cm Precise and easy guidance thanks to patented joint. Powerful, water-cooled motor for continuous use. Including 20 m connection cable.								
								
Ideal for glass roofs, glass domes, movable roof glass constructions, aluminium-glass constructions.			Ideal for cleaning large rooftop systems or elevated solar systems.			Ideal for cleaning facades.		
Delivery contents: <ul style="list-style-type: none"> • ROTAQLEEN Vario with white brush (soft) • 20 m connection cable 			Delivery contents: <ul style="list-style-type: none"> • ROTAQLEEN Vario with red brush (medium hardness) • 20 m connection cable 			Delivery contents: <ul style="list-style-type: none"> • ROTAQLEEN Vario mit with blue brush (hard) • 20 m connection cable 		
Weight 50 / 75:		6,5 / 7,6 kg	Weight 50 / 75:		6,5 / 7,6 kg	Weight 50 / 75:		6,5 / 7,6 kg
Speed:		195 rpm	Speed:		195 rpm	Speed:		195 rpm
Width	Art.no.		Width	Art.no.		Width	Art.no.	
50 cm	72021		50 cm	72020		50 cm	72090	
75 cm	72019		75 cm	72018				
			100 cm	72055				

ROTAQLEEN Vario brush

Glass			Solar			Facade		
								
The soft and hard-wearing brushes are ideal for glass cleaning.			The medium-hard and hard-wearing brushes are ideal for solar cleaning.			The hard and durable brushes are ideal for cleaning façades.		
Delivery contents: <ul style="list-style-type: none"> • 50 or 75 cm glass brush 			Delivery contents: <ul style="list-style-type: none"> • 50, 75 or 100 cm solar brush 			Delivery contents: <ul style="list-style-type: none"> • 50 cm facade brush 		
Bristle thickness:		0,3 mm	Bristle thickness:		0,4 mm	Bristle thickness:		0,5 mm
Bristle length:		30 mm	Bristle length:		30 mm	Bristle length:		30 mm
Material:		PE, PBT, white	Material:		PE, PBT, red	Material:		PE, PBT, blue
Width	Art.no.		Width	Art.no.		Width	Art.no.	
50 cm	72025		50 cm	72024		50 cm	72026	
75 cm	72023		75 cm	72022				
			100 cm	72057				

External power supply



Portable power supply for ROTAQLEEN. .
Enables ROTAQLEEN to be used if the QLEEN station used is not electrically equipped or systems from other manufacturers are used.
With manual forward/reverse on the power pack or remote control.

Delivery contents:

- Power supply unit with remote control.

Weight: 4,5 kg
Input voltage: 100 - 240 V
Dimension: 30 x 14 x 14 cm (L x W x H)

Article number
72078

Connection cable



Connection cable for the ROTAQLEEN in various lengths.

Delivery contents:

- Connection cable in 10, 15 or 20 m

Weight 10 / 15 / 20: 1,2 / 1,7 / 2,2 kg

Länge	Article number
10 m	72111
15 m	72112
20 m	72113

Cable drum



Cable reel for Rotaqleen.
With 50 m cable and push-pull connectors for 24 V.
For work with a longer range.

Delivery contents:

- Cable reel with 50 m connection cable

Weight: 6,5 kg

Article number
72565

Transport box for ROTAQLEEN

Classic 40/60 cm



Padded box for safe transportation of the ROTAQLEEN Classic.

Delivery contents:

- Transport box for Classic 40/60 cm

Weight: 2,5 kg
Dimension: 64,0 x 43,0 x 15,5 cm (L x W x H)

Article number
86728

Vario 50 cm



Padded box for safe transportation of the ROTAQLEEN Vario.

Delivery contents:

- Transport box for Vario 50 cm

Weight: 2,5 kg
Dimension: 66,5 x 30,0 x 30,0 cm (L x W x H)

Article number
88858

Vario 75 cm







Padded box for safe transportation of the ROTAQLEEN Vario.





Delivery contents:

- Transport box for Vario 75 cm

Weight: 3,0 kg
Dimension: 89,0 x 30,0 x 30,0 cm (L x W x H)

Article number
86729

Adapter for old ROTAQLEEN to current machines											
For year of manufacture 01/2014 to 12/2017		For year of manufacture 01/2018 to 12/2022									
Plug connection on the ROTAQLEEN											
											
Adapter cable required											
											
Adapter cable for a 24 V ROTAQLEEN from year of manufacture 01/2014 to 12/2017 for connection to all machines from year of manufacture 01/2023 with push-pull socket.		Adapter cable for a 24 V ROTAQLEEN from year of manufacture 01/2018 to 12/2022 for connection to all machines from year of manufacture 01/2023 with push-pull socket.									
Delivery contents: <ul style="list-style-type: none"> • Adapter cable 		Delivery contents: <ul style="list-style-type: none"> • Adapter cable 									
Weight: 0,2 kg		Weight: 0,2 kg									
<table border="1"> <tr> <th>Article number</th> <td></td> </tr> <tr> <td>72093</td> <td></td> </tr> </table>		Article number		72093		<table border="1"> <tr> <th>Article number</th> <td></td> </tr> <tr> <td>72091</td> <td></td> </tr> </table>		Article number		72091	
Article number											
72093											
Article number											
72091											

Adapter for new ROTAQLEEN to old machines											
For year of manufacture 01/2014 - 12/2017		For year of manufacture 01/2014 - 12/2017									
Socket on the machine											
											
Adapter cable required											
											
Adapter cable for a current 24 V ROTAQLEEN with push-pull plug for connection to all machines built between 01/2014 and 12/2017.		Adapter cable for a current 24 V ROTAQLEEN with push-pull plug for connection to all machines built between 01/2018 and 12/2022.									
Delivery contents: <ul style="list-style-type: none"> • Adapter cable 		Delivery contents: <ul style="list-style-type: none"> • Adapter cable 									
Weight: 0,2 kg		Weight: 0,2 kg									
<table border="1"> <tr> <th>Article number</th> <td></td> </tr> <tr> <td>72094</td> <td></td> </tr> </table>		Article number		72094		<table border="1"> <tr> <th>Article number</th> <td></td> </tr> <tr> <td>72092</td> <td></td> </tr> </table>		Article number		72092	
Article number											
72094											
Article number											
72092											

Adjustable harness system for all body sizes

Padded and robust backpack for long periods of use


Storage bag for charger and accessories

Forward/reverse circuit in easily accessible position with connection socket for ROTAQLEEN

Two connection sockets for ROTAQLEEN and charger

Powerful Li-Ion battery with 360 Wh, for use up to:

- 8 hours with ROTAQLEEN Classic
- 4 hours with ROTAQLEEN Vario

 Charger included with fast charging in a maximum of 5 hours

Q-Power backpack system*



For quick and flexible cleaning with our ROTAQLEEN system. Can be used anywhere where there is no electricity or the surfaces to be cleaned are difficult to access. Suitable for all current ROTAQLEEN.

Delivery contents:

- Power backpack system with manual operation for forward/backward motion
- Charger for 100-240 V

Weight: 5,5 kg
Dimension: 70 x 80 x 12 cm (L x W x H)

Article number

72100

Q-Power battery for backpack system*



Powerful 360 Wh Li-Ion battery for connecting a ROTAQLEEN. As a replacement battery for the Q-Power backpack system.

Delivery contents:

- Q-Power battery
- Charger for 100-240 V

Weight: 2,5 kg
Output voltage: 25,4 V
Performance: 360 Wh

Article number

72102

Manual operation for Q-Power battery without remote control



Manual forward/reverse operation for Q-Power battery without remote control (72102).

Delivery contents:

- Q-Power manual operation

Weight: 0,5 kg

Article number

72103

Charger



Charger for the Q-Power battery. Charging time maximum 5 hours.

Delivery contents:

- Charger

Weight: 0,6 kg
Input voltage: 100-240 V
Output current: 3 A

Article number

72108

Backpack



Robust and well-padded rucksack for long-term use.

Delivery contents:

- Q-Power backpack

Weight: 0,7 kg

Article number

72107

* The battery comes with a limited warranty of 6 months.

4 brush holders for all standard
slat spacings of 50/100 mm, 60
mm, 70 mm and 80 mm

The brush holder and handle
together weigh just 1.2 kg. For
fatigue-free and long working
hours

Transport box for quick and easy
storage of the complete slat
cleaner



4 power fan nozzles with a
wide spray angle

Accessories for changing the
nozzles. Gardena connection for
the domestic water connection

Handle with stopcock Integrated
Vario joint for flexible working and for
connecting to any QLEEN pole or LEWI
telescopic pole

Video

User guide

Spare parts



Complete Set



Perfect choice for slat distances from 50 to 100 mm.

Complete set consisting of:

- Brush holder for 50/100, 60, 70 and 80 mm blade spacing
- Nozzle set with mounting accessories and tools
- Handle with Vario joint and stopcock
- Adapter for Unger hose and water connection
- Transport container

Weight: 4,5 kg
Dimension: 57 x 28 x 28 cm (L x W x H)

Article number

71500

Brush holders and brushes

50/100 mm



Perfect choice for slat distances of 50/100 mm.

Delivery contents:

- Brush holder with brushes for 50/100 mm blade spacing or single brush

No. of brushes per holder: 8
Ø Brush: 55 mm

60 mm




Perfect choice for slat distances of 60 mm.

Delivery contents:

- Brush holder with brushes for 60 mm slat spacing or single brush

No. of brushes per holder: 6
Ø Brush: 65 mm

70 mm



Perfect choice for slat distances of 70 mm.

Delivery contents:

- Brush holder with brushes for 70 mm slat spacing or single brush

No. of brushes per holder: 6
Ø Brush: 75 mm

80 mm



Perfect choice for slat distances of 80 mm.

Delivery contents:

- Brush holder with brushes for 80 mm slat spacing or single brush

No. of brushes per holder: 5
Ø Brush: 85 mm

	Art.no.		Art.no.		Art.no.		Art.no.
Holder	71509	Holder	71507	Holder	71505	Holder	71503
Bürste	71510	Bürste	71508	Bürste	71506	Bürste	71504

Handle for lamella brush holder

Handle



Handle with Vario joint.

Delivery contents:

- Handle with Vario joint

Weight: 0,5 kg

Article number

71526

Nozzle set



Nozzles, attachment and stopcock.

Delivery contents:

- Nozzle set

Weight: 0,2 kg

Article number

71525

Handle & nozzle set



Handle with nozzle set.

Delivery contents:


- Handle, nozzle set

Weight: 0,7 kg

Article number

71502

NEW



Detergent dispenser



Adjustable electronic detergent dispenser for mixing detergents into all water flows up to 6 bar pressure. Suitable for retrofitting to all electric machines without detergent connection. Can be connected to all existing ROTAQLEEN connections. ROTAQLEEN can still be used.

- Delivery contents:**
- Detergent dispenser

Weight: 1,0 kg

Article number
70028



Video



User guide



Spare parts



QLEEN 01 | 2025

QLEEN Indoor System*



Quick cleaning of hard-to-reach interior surfaces. Streak-free drying thanks to demineralized water.

System without a bar! Operation only in conjunction with water telescopic pole for indoor use.

Complete set consisting of:


- Control unit with bag, 5 pad covers with bag, water tank with bag, joint with pad holder, belt, charger, transport box

Weight: 2,9 kg

Article number

17048

Indoor water telescopic pole



Proven professional quality. Allows you to work quickly and safely without twisting. Perfectly tight and drip-proof. With built-in push button and cable plug.

Material: Aluminium, Plastic, PE-hose

Length	Article number
250 cm (2 x 125)	17003
300 cm (3 x 100)	17004
400 cm (4 x 100)	17005
600 cm (4 x 150)	17006
800 cm (4 x 150)	17007
Shipped with a forwarding agent:	
1000 cm (4 x 250)	17008

Pad holder and pads*





Pad holder and pads for the QLEEN Indoor System. Stable and durable, quickly replaceable, high cleaning power.




Material pad holder: Aluminium, Plastic
Material pads: Microfiber


	Article number
	17009
1 Piece	17010


* Illustration similar.




Brush bow	
Vario	Aluminum joint
Compatible with the poles and brushes from the QLEEN range. Robust and universally applicable. Perfect for cleaning hard-to-reach areas.	
	
Joint can be rotated through 180° in 30° steps. Brush holder can be adjusted vertically. 5 power nozzles.	Joint can be rotated through 180°. Brush holder can be adjusted vertically. 2 internal power nozzles for optimized flow.
Delivery contents:	Delivery contents:
• Vario brush bow	• Brush bow aluminum joint
Weight: 0,6 kg Material: Aluminium	Weight: 0,4 kg Material: Aluminium
Article number 71037	Article number 71038


Washing brush								
Glass			Solar			Facade		
All brushes are suitable for the Vario (71037), aluminum joint (71038) and special (71039, 71040) brush bend. The brushes are made of robust and durable material and are available in sizes 27, 40 and 60 cm.								
								
For streak-free glass cleaning.			For perfect solar cleaning.			For thorough façade cleaning.		
Delivery contents:			Delivery contents:			Delivery contents:		
• Window brush			• Solar brush			• Facade brush		
Bristle thickness: 0,3 mm			Bristle thickness: 0,4 mm			Bristle thickness: 0,5 mm		
Bristle length: 40 mm			Bristle length: 40 mm			Bristle length: 40 mm		
Material: PE, Polyester, white			Material: PE, Polyester, red			Material: PE, Polyester, blue		
Width	Art.no.		Width	Art.no.		Width	Art.no.	
27 cm	71000		27 cm	71006		27 cm	71003	
40 cm	71001		40 cm	71007		40 cm	71004	
60 cm	71002		60 cm	71008		60 cm	71005	

Angle brush glass and aluminum joint		
		
<p>1. Angle brush for easy and thorough glass cleaning. With 2 internal power nozzles for a better spray pattern with less water flow.</p> <p>2. Aluminum joint for QLEEN poles and LEWI telescopic poles.</p>		
Delivery contents:		
• Angled brush, bristle thickness 0.25 mm, bristle length 40 mm, incl. nozzles		
• Aluminium joint		
Weight 1. / 2.:		0,7 / 0,2 kg
Material 1. / 2.:		PE, PBT, white / Aluminium
Number	Article number	
1.	71041	
2.	72649	




Special brush bow		
		
Compatible with brushes from the QLEEN range. Perfect for efficient cleaning of bus stops and canopies. Brush can be rotated through 180°, joint can be rotated through 180° in 30° steps.		
Delivery contents:		
• Brush arch with 5 power nozzles and 2 aluminum joints		
Weight 60 / 160:		1,0 / 1,2 kg
Material:		Aluminium
Length	Article number	
60 cm	71040	
160 cm	71039	




Vario-Padhalter und Padbezug		
		
<p>1. Pad holder with Vario joint. For pad or microfiber covers.</p> <p>2. Pad cover</p>		
Delivery contents:		
• Pad holder with 3 power nozzles and aluminum joint		
• Pad cover with Velcro fastener (L x W): 45 x 12 cm		
Weight 1. / 2.:		0,6 / 0,01 kg
Material 1. / 2.:		Aluminium / Plastic, Microfiber
Number	Article number	
1.	71027	
2.	71031	





Bottles							
12,5 l		25 l		Lid		Foot	
							
Bottle for 12, 5 l granules Delivery contents: • Bottle with lid Weight: 3,0 kg		Bottle for 12, 5 l granules Delivery contents: • Bottle with lid Weight: 4,0 kg		Lid for bottle Delivery contents: • Lid Weight: 0,1 kg		Foot for bottle. Delivery contents: • Bottle base Weight: 0,5 kg	
Art.no.		Art.no.		Art.no.		Art.no.	
72505		72504		72507		72506	

Granules		
	For demineralizing tap water.	
	Delivery contents: • Mixed bed resin in a bag	
	Weight 12,5/25 l: 10,0/19,0 kg	
	Quantity	Article number
12,5 l	72503	
25 l	72502	



PU hose								
Single hose blue			Single hose black			DUO hose		
								
Delivery contents: • Single hose PU blue maximum 50 m			Delivery contents: • Single hose PU black maximum 50 m			Delivery contents: • DUO hose PU 50 m		
Material: PUR			Material: PUR			Material: PUR		
Ø in mm	Art.no.		Ø in mm	Art.no.		Ø in mm	Art.no.	
8	72677					8	72512	
10	72678		10	72679		10	72514	

PVC hose and accessories								
PVC hose Ø 9 mm			Plug-in connections			Hose set		
								
Flexible PVC hose Diameter 9 mm			1. Aluminum water connection 2. Plug nipple 3. Clamp Ø 12.3 mm			Hose set with connections 12.5 m with hose clips		
Delivery contents: • PVC hose in blue or black up to 100 m			Delivery contents: • Water connection, plug-in nipple or clamp			Delivery contents: • Hose with connections 12.5 m • 7 hose clips		
Material: PVC			Material: Aluminium, Messing					
Color	Art.no.		Number	Art.no.		Art.no.		
blue	72644		1.	84501		72643		
black	12106		2.	72682				
			3.	72683				

Hose connectors and filters											
Connector with ball valve			Single connector			Y-connector			Inline filter		
											
Ø in mm	Art.no.		Ø in mm	Art.no.		Ø in mm	Art.no.		Art.no.		
8	72521		8	72522		8	72523		90053		
10	72524		10	72525		10	72526				
			8 to 10	92031		8 to 10	72527				

Hand-held meter



Hand-held measuring device for checking the water quality.

Delivery contents:


- EC hand-held meter

Weight: 0,1 kg

Article number

72567

Adapter for pole systems

Unger nLITE (round)	Unger nLITE (oval)	Gardiner	Lewi
			
Adapter for round nLITE rods from Unger. Suitable for all QLEEN attachments. The 1st element must be removed.	Adapter for oval nLITE poles from Unger. Suitable for all QLEEN attachments.	Adapter for telescopic poles. Suitable for all QLEEN attachments. The 1st and 2nd element must be removed.	Adapter for telescopic poles. Suitable for all Lewi attachments.
Delivery contents: • Unger Adapter (round)	Delivery contents: • Unger Adapter (oval)	Delivery contents: • Gardiner Adapter	Delivery contents: • QLEEN to LEWI adapter
Weight: 0,1 kg Material: Aluminium	Weight: 0,1 kg Material: Aluminium	Weight: 0,1 kg Material: Aluminium	Weight: 0,1 kg Material: Aluminium
Art.no. 72587	Art.no. 72684	Art.no. 72688	Art.no. 72686

Bottle head



Delivery contents:

- Bottle head



Weight: 1,0 kg

Number	Description	Article number
1	Profi, Q-Station and DISY from 01/2022	72666
2	PURASTART, PURASTART Mini and Maxi (short or long indication)	72651
3	PROFI I up to 12/2021	72555
4	PROFI II and DISY without electric up to 12/2021	72556
5	DISY Elektro up to 12/2021 with venting	72599


Remote control

For devices up to 2013		For devices from 2014 to 2022		For devices from 2023	
					
Delivery contents: • Replacement remote control for devices up to 2013		Delivery contents: • Replacement remote control for devices from 2014 to 2022		Delivery contents: • Replacement remote control for devices from 2023	
Art.no.		Art.no.		Art.no.	
72553		72554		72574	

Battery and charger

Battery		Charger	
			
Battery 12 V, 50 Ah, lead gel - for 24 V systems. 2 pieces are required!		Fully automatic charger - for systems from 10/2022, Input voltage 110V/230V	
Delivery contents: • Battery		Delivery contents: • Charger	
Weight:	18,0 kg	Weight:	3,0 kg
Article number		Article number	
72559		72561	

Diaphragm pump 10 bar

	1.	24 V for QLEEN DISY electric, 2nd generation
	2.	24 V for QLEEN PROFII II
	3.	24 V for QLEEN PROFII I
	4.	12 V for QLEEN PROFII I
	Delivery contents: • Pump with connections	
Weight:	3,2 kg	
	Number	Article number
	1.	72623
	2.	72624
	3.	72625
	4.	72607

Fan nozzle



1. Fan nozzle 0.3 mm with O-ring
2. Fan nozzle 0.4 mm with O-ring
3. Fan nozzle 0.6 mm with O-ring
4. Fan nozzle 0.8 mm with O-ring

Delivery contents:

- Fan nozzle with O-ring

Material: Messing

Number	Article number	
1.	72598	
2.	72541	
3.	72540	
4.	72542	

Fan nozzle with 8 mm hose connection



1. Hose connection with fan nozzle 0.4 mm
2. Hose connection with fan nozzle 0.6 mm
3. Hose connection with fan nozzle 0.8 mm

Delivery contents:

- Fan nozzle with O-ring and hose connection 8 mm

Material: Messing

Number	Article number	
1.	72537	
2.	72538	
3.	72539	

Hose connection for brush holder



1. Hose connection Brush 1/8" - Ø 8 mm
2. Connector- Muff 1/8"

Delivery contents:

- Hose connection 8 mm or socket

Material: Messing

Number	Article number	
1.	72549	
2.	72550	

Wing screws for segment poles



1. Wing screw G3, Ø 50 mm
2. Wing screw G4, Ø 50 mm
3. Wing screw G4, Ø 42 mm

Delivery contents:

- Wing screw

Number	Article number	
1.	72518	
2.	72519	
3.	72520	

Snap Button



Snap button for all accessories and poles

Delivery contents:

- Snap Button

Material: Stainless steel

Article number

10787

Hose reel

DISY 50m

50 m

100 m

Folding handle



For 50 m DUO hose Ø 10 mm, detachable innovative attachment

For 50 m DUO hose or 100 m single hose Ø 10 mm

For 80 m DUO hose or 160 m single hose Ø 10 mm

Folding handle for the hose reel

Delivery contents:

- Hose reel

Delivery contents:

- Hose reel

Delivery contents:

- Hose reel

Delivery contents:

- Folding handle

Weight: 3,7 kg
Material: PA, Steel

Weight: 3,5 kg
Material: PA, Steel

Weight: 4,0 kg
Material: PA, Steel

Weight: 0,3 kg
Material: PA, Steel

Art.no.

72638

Art.no.

72612

Art.no.

72578

Art.no.

72626

Claw coupling

With hose nozzle

With external thread



1. Screw-on claw coupling with hose nozzle Ø 13 mm
2. Replacement seal for claw coupling
3. Strainer for claw coupling
4. Claw adapter suitable for Gardena connection

1. Claw coupling with 1/2" external thread
2. Replacement seal for claw coupling 3/4"
3. Sealing cap for GK coupling

Delivery contents:

- Claw coupling, strainer or seal

Delivery contents:

- Claw coupling or seal

Material: Messing

Material: Messing

Number	Article number	Number	Article number
1.	72551	1.	72543
2.	72552	2.	72544
3.	72557	3.	72545
4.	72654		

All information without guarantee.
Subject to change without notice.

All prices (per item in EUR) are quoted as
follows plus the statutory VAT.

LEHMANN KG
KRANICHSTRASSE 2A
D-17235 NEUSTRELITZ

PHONE +49 (0) 3981 48850
EMAIL INFO@LEWI.DE
WEB WWW.LEHMANN-KG.COM

01 | 2025 - EN